CODE	DRUG TRADE NAME	CONSUMER DESCRIPTION
	Hizentra, Cuvitru, Gammagard, Gammaked,	Human immune globulin is derived from blood products and is typically given as a
90284	Gamunex-C, Cutaquig, Xembify	shot, through an IV or under the skin with fluids.
		Respiratory syncytial virus (RSV) immune globulin. RSV is an infection that causes
90378	Synagis	colds, coughs and sometimes pneumonia in children and infants.
		An injection of caplacizumab. This drug is typically used to treat thrombotic
C9047	Cablivi	thrombocytopenic purpura and thrombosis.
C9163	Talvey	Injection, talquetamab-tgvs, 0.25 mg
C9164	Ycanth	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2mg)
C9165	Elrexfio	Injection, elranatamab-bcmm, 1 mg
C9168 C9399	Omvoh	Injection, mirikizumab-mrkz, 1 mg lifileucel
C9399	Amtagvi Beqvez	fidanacogene elaparvovec-dzkt
C9399	Casgevy	exagamglogene autotemcel
C9399	Elevidys	delandistrogene moxeparvovec-rokl
C9399	Empaveli	pegcetacoplan
C9399	Enspryng	satralizumab-mwge
C9399	Lamzede	velmanase alfa-tycv
C9399	Lantidra	donislecel-jujn
C9399	Lenmeldy	atidarsagene autotemcel
C9399	Lyfgenia	lovotibeglogene autotemcel
C9399	Lytgobi	futibatinib
C9399	Nulibry	fosdenopterin
C9399	Omisirge	omidubicel-onlv
C9399	Rethymic	allogeneic processed thymus tissue–agdc
C9399	Roctavian	valoctocogene roxaparvovec
C9399	Skysona	Elivaldogene autotemcel
C9399	Tegsedi	inotersen
C9399	Zynteglo	betibeglogene autotemcel
		An infusion given over minutes/hours or injection of abatacept. This drug is a
J0129	Orencia	manufactured protein typically given for treatment of arthritis.
10470	A shale a large	
J0172	Aduhelm	An injection of aducanumab-avwa, a medication used to treat Alzheimer's disease.
J0174	Legembi	An injection of lecanemab. This drug is generally used to treat Alzheimer's disease.
J0174 J0175	Kisunla	Injection docanemab-azbt, 2 mg
J0175	Eylea	Injection, aflibercept hd, 1 mg
50177	2,000	
J0178	Eylea	An injection of aflibercept. This drug typically is used to treat macular degeneration.
		An injection of brolucizumab-dbll. This drug is used to treat macular degeneration, a
J0179	Beovu	deterioration of the central portion of the retina.
		An infusion of agalsidase beta given over minutes/hours. This drug is most often
J0180	Fabrazyme	used to treat an enzyme deficiency in Fabry disease.
		An infusion given over minutes/hours or injection of alemtuzumab. This drug is
J0202	Lemtrada	typically used to treat leukemia or multiple sclerosis.
		An infusion given over minutes or hours of velmanase alfa-tycv, used to help the
J0217	Lamzede	body break down complex sugars in some rare genetic conditions.
		An infusion of olipudase alfa, given over minutes/hours, used to treat acid
J0218	Xenpozyme	sphingomyelinase deficiency (ASMD).
		An infusion of avalglucosidase given over minutes/hours, used to treat Pompe
J0219	Nexviazyme	disease.
		An infusion of alglucosidase alfa given over minutes/hours. This drug is typically
J0220	Alglucosidase alfa injection 10mg, NOS	used to treat an enzyme deficiency in Pompe disease.
		An infusion of alglucosidase alfa given over minutes/hours. This drug is typically
J0221	Lumizyme	used to treat an enzyme deficiency in Pompe disease.
J0222	Onpattro	patisiran
J0223	Givlaari	givosiran

J0224Oxlumowhich causes kidney stones and loss ofJ0225AmvuttravutrisiranJ0256Aralast, Prolastin, Zemairatypically is given to treat lung problems rJ0257Glassiatypically is given to treat lung problems rJ0257Glassiatypically is given to treat lung problems rJ0490Benlystais given for treatment of lupus.J0491Saphnelosevere systemic lupus erythematosus (SJ0517FasenraAn injection of benralizumab. This drug i	tor given over minutes/hours. This drug related to an enzyme deficiency. tor given over minutes/hours. This drug
J0225       Amvuttra       vutrisiran         An infusion of alpha 1-proteinase inhibit       An infusion of alpha 1-proteinase inhibit         J0256       Aralast, Prolastin, Zemaira       typically is given to treat lung problems r         J0257       Glassia       typically is given to treat lung problems r         J0257       Glassia       typically is given to treat lung problems r         J0490       Benlysta       an infusion given over minutes/hours or         J0491       Saphnelo       severe systemic lupus erythematosus (S         J0517       Fasenra       An injection of benralizumab. This drug i	tor given over minutes/hours. This drug related to an enzyme deficiency. tor given over minutes/hours. This drug related to an enzyme deficiency. r injection of belimumab. This drug typically
J0256       Aralast, Prolastin, Zemaira       typically is given to treat lung problems r         J0257       Glassia       typically is given to treat lung problems r         J0490       Benlysta       is given for treatment of lupus.         J0491       Saphnelo       severe systemic lupus erythematosus (S         J0517       Fasenra       An injection of benralizumab. This drug i	related to an enzyme deficiency. tor given over minutes/hours. This drug related to an enzyme deficiency. r injection of belimumab. This drug typically
J0256       Aralast, Prolastin, Zemaira       typically is given to treat lung problems r         J0257       Glassia       typically is given to treat lung problems r         J0257       Glassia       typically is given to treat lung problems r         J0490       Benlysta       is given for treatment of lupus.         J0491       Saphnelo       severe systemic lupus erythematosus (S         J0517       Fasenra       An injection of benralizumab. This drug i	related to an enzyme deficiency. tor given over minutes/hours. This drug related to an enzyme deficiency. r injection of belimumab. This drug typically
J0257       Glassia       typically is given to treat lung problems in An infusion given over minutes/hours or is given for treatment of lupus.         J0490       Benlysta       is given for treatment of lupus.         J0491       Saphnelo       severe systemic lupus erythematosus (SJ0517)	related to an enzyme deficiency. r injection of belimumab. This drug typically
J0490       Benlysta       An infusion given over minutes/hours or is given for treatment of lupus.         J0491       Saphnelo       An infusion of anifrolumab-fnia given over systemic lupus erythematosus (SJ0517)         Fasenra       An injection of benralizumab. This drug i	r injection of belimumab. This drug typically
J0490BenlystaAn infusion given over minutes/hours or is given for treatment of lupus.J0491SaphneloAn infusion of anifrolumab-fnia given over severe systemic lupus erythematosus (SJ0517FasenraAn injection of benralizumab. This drug i	r injection of belimumab. This drug typically
J0490Benlystais given for treatment of lupus.J0491SaphneloAn infusion of anifrolumab-fnia given ov severe systemic lupus erythematosus (SJ0517FasenraAn injection of benralizumab. This drug i	-
J0491Saphnelosevere systemic lupus erythematosus (SJ0517FasenraAn injection of benralizumab. This drug i	ver minutes/hours, used to treat moderate to
J0517 Fasenra An injection of benralizumab. This drug i	
J0517 Fasenra An injection of benralizumab. This drug i	
	is typically used to treat asthma.
An infusion given over minutes/hours or	an injection of bezlotoxumab. This drug is
J0565 Zinplava generally used to treat various types of c	
	er minutes/hours. This drug is typically used
J0567 Brineura as an enzyme replacement treatment fo	
Buprenorphine. delivered through one-in	nch-long rods implanted under the skin on
	nonths to treat an addiction to narcotics.
An injection of burosumab-twza. This dru	
hypophosphatemia (XLH), a disease wh	
J0584 Crysvita phosphorus.	
An injection of botulinum toxin type A. Th	his drug is typically used to relax severe
J0585 Botox muscle spasms, reduce gland secretion	
An injection of botulinum toxin type A. Th	
J0586 Dysport muscle spasms, reduce gland secretion	
	his drug is typically used for an extremely
J0587 Myobloc severe spasm of the neck muscles.	
An injection of botulinum toxin type A. Th	his drug is typically used to relax severe
J0588 Xeomin muscle spasms, reduce gland secretion	
An injection of deoxycholic acid. This dru	
J0591 Kybella where it is injected into the body.	
	Irug is generally used to prevent attacks of
	caused by low level or improper function of
J0593 Takhzyro a protein called the C1 inhibitor.	
An injection of C1 esterase inhibitor. Thi	is drug typically is given for angioedema, a
	sues to swell in a type of allergic reaction.
	en over minutes/hours. This drug typically is
	dition that causes the tissues to swell in a
J0597 Berinert type of allergic reaction.	
	n over minutes/hours. This drug typically is
с. С	dition that causes the tissues to swell in a
J0598 Cinryze type of allergic reaction.	
An injection of C1 esterase inhibitor (hu	man) used to prevent hereditary
J0599 Haegarda angioedema (HAE) attacks.	indif, used to prevent hereutary
	r injection of edetate calcium disodium. This
J0600 Calcium Disodium Versenate drug typically is used to treat lead poisor	
An injection of etelcalcetide, which is ge	-
	nronic kidney disease or who are undergoing
J0606 Parsabiv hemodialysis.	nome kinney disease of who are undergoing
	is used to treat autoimmune inflammatory
J0638 Ilaris conditions.	
An injection of cortalizuman negal. This	drug is typically used to treat autoimmune
J0717 Cimzia conditions, including inflammatory bow	
J0739 Apretude An injection of cabotegravir, used to trea	

J0775	Xiaflex	An injection of collagenase clostridium histolyticum. This drug is typically used to treat deformative connective tissue disorders.
		An infusion of crizanlizumab-tmca given over minutes/hours. This drug is typically
J0791	Adakveo	used to prevent vaso-occlusive crisis in patients with sickle cell anemia.
		·····
10004	<b>.</b>	An injection of corticotropin. This is a man-made form of a hormone that naturally is
J0801	Acthar gel, corticotropin gel	produced by the pituitary gland. It is used to treat a variety of disorders.
		An injection of corticotropin. This is a man-made form of a hormone that naturally is
J0802	Cortrophin	produced by the pituitary gland. It is used to treat a variety of disorders.
		An injection of difelikefalin. This drug is typically used to treat itchy skin related to
J0879	Korsuva	patient on hemodialysis.
		An injection of darbepoetin alfa. This drug is most often used to treat anemia, by
J0881	Aranesp (albumin Free)	stimulating the production of red blood cells.
		An injection of darbepoetin alfa. This drug is most often used to treat anemia, by
J0882	Aranesp (albumin Free)	stimulating the production of red blood cells.
		An injection of epoetin alfa. This drug is most often used to treat anemia, by
J0885	Epogen, Procrit	stimulating the production of red blood cells.
10007		An injection of epoetin beta. This drug is typically used to treat low blood counts
J0887	Mircera	associated with chronic kidney disease and some forms of cancer.
J0888	Mirooro	An injection of epoetin beta. This drug is typically used to treat low blood counts
0000	Mircera	associated with chronic kidney disease and some forms of cancer. Daprodustat, given by mouth. This drug is used to treat anemia due to chronic
J0889	Jesduvroq	kidney disease.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	20000000	An infusion given over minutes/hours or injection of deferoxamine mesylate. This
J0895	Desferal, deferoxamine mesylate	drug is generally used to treat an excess of iron in the blood.
		An injection of luspatercept-aamt, a drug used to treat anemia in patients with beta
J0896	Reblozyl	thalassemia.
J1203	Pombility	Injection, cipaglucosidase alfa-atga, 5 mg
		An injection of ecallantide. This drug is most often used to treat a condition called
J1290	Kalbitor	hereditary angioedema, where swelling occurs in the deep layers of the skin.
11000	Calinia	An infusion of eculizumab given over minutes/hours. This drug is generally used to
J1300	Soliris	treat the destruction of red blood cells in certain blood disorders. An infusion of edaravone given over minutes/hours. This drug is given to help treat
J1301	Radicava	amyotrophic lateral sclerosis (ALS).
,1001		An infusion of sutimlimab-jome given over minutes/hours. This drug is used to treat
J1302	Enjaymo	patients with a rare autoimmune disease.
	3. 3.	An infusion of ravulizumab given over minutes/hours. This antibody is designed to
		treat paroxysmal nocturnal hemoglobinuria and atypical hemolytic uremic
J1303	Ultomiris	syndrome.
		An injection of tofersen. This drug is typically used to treat Lou Gehrig's disease
J1304	Qalsody	(ALS).
		An infusion of evinacumab-dgnb given over minutes/hours. This drug is used to treat
J1305	Evkeeza	homozygous familial hypercholesterolemia.
J1306	Leqvio	An injection of inclisiran. This drug is generally used to treat cardiovascular disease.
		An infusion of elosulfase alfa given over minutes/hours. This drug is typically given
J1322	Vimizim	as an enzyme replacement therapy to treat people who have Morquio A syndrome.
J1322	Elrexfio	Injection, elranatamab-bcmm, 1 mg
,1020		An infusion of epoprostenol given over minutes/hours. This medication is most
J1325	Flolan, Veletri, epoprostenol	often used to lower the blood pressure in the arteries of the lungs.
		An infusion of etranacogene dezaparvovec-drlb (Hemgenix) given over
J1411	Hemgenix	minutes/hours. This is a gene therapy used to treat hemophilia B.

14.44.0	Destautor	An infusion of valoctocogene roxaparvovec-rvox given over minutes or hours, used
J1412	Roctavian	to treat hemophilia A.
		An infusion of delandistrogene moxeparvovec-rokl given over minutes or hours. This
14.44.0	Flavidua	gene therapy is used to treat children aged 4-5 who have Duchenne muscular
J1413	Elevidys	dystrophy.
14.400	Anna an chua AE	An infusion of casimersen given over minutes/hours. This drug is used for the
J1426	Amondys 45	treatment of Duchenne muscular dystrophy.
		Infusion of viltolarsen given over minutes/hours. This drug is generally used to treat
J1427	Viltepso	Duchenne muscular dystrophy.
		Infusion of eteplirsen given over minutes/hours. This drug is used to treat Duchenne
J1428	Exondys 51	muscular dystrophy (DMD).
		An infusion of golodirsen given over minutes/hours. This drug is typically used to
J1429	Vyondys 53	treat Duchenne muscular dystrophy.
		Healthy stool bacteria from a donor is prepared and may be transplanted. This
		procedure treats a variety of conditions including irritable bowel syndrome,
J1440	Rebyota	constipation and colitis.
		An infusion given over minutes/hours or injection of filgrastim (G-CSF). This drug is
J1442	Neupogen	given to increase the production of white blood cells, improving immune function.
		An infusion of ferric pyrophosphate citrate given over minutes/hours. This form of
		iron supplement is generally used to treat iron-deficiency anemia (low blood levels
J1445	Triferic Avnu	due to inadequate iron in the body).
		An injection of TBO-filgrastim (G-CSF). This drug is given to increase the production
J1447	Granix	of white blood cells, improving immune function.
		An infusion of trilaciclib given over minutes/hours. This drug is used to preserve
J1448	Cosela	bone marrow and immune system function during chemotherapy.
		An injection of eflapegrastim-xnst (Rolvedon), given to decrease the chance of
J1449	Rolvedon	infection in patients receiving myelosuppressive anti-cancer drugs.
		An infusion of galsulfase given over minutes/hours. This drug is typically used to
J1458	Naglazyme	improve walking and stair-climbing ability in patients with an enzyme deficiency.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1459	Privigen	used to provide antibodies to patients with compromised immune systems.
		An injection of immune globulin. Immune globulins are used to provide antibodies
J1460	Gamastan	to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1551	Cutaquig	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1554	Asceniv	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1555	Cuvitru	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1556	Bivigam	used to provide antibodies to patients with compromised immune systems.
	-	An infusion of immune globulin given over minutes/hours. Immune globulins are
J1557	Gammaplex	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1558	Xembify	used to provide antibodies to patients with compromised immune systems.
	· · ·	An infusion of immune globulin given over minutes/hours. Immune globulins are
J1559	Hizentra	used to provide antibodies to patients with compromised immune systems.
		An injection of immune globulin. Immune globulins are used to provide antibodies
J1560	Gamastan	to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1561	Gammaked, Gamunex-C	used to provide antibodies to patients with compromised immune systems.
1001	Cummukey, Cumunex-O	An infusion of immune globulin given over minutes/hours. Immune globulins are
J1562	Vivaglobin	used to provide antibodies to patients with compromised immune systems.
11302	vivagiobili	An infusion of immune globulin given over minutes/hours. Immune globulins are
J1566	Gammagard S/d	used to provide antibodies to patients with compromised immune systems.
11000	Gammagaru S/u	משכם נס פרטיותב מונוסטתובש נס פמנובונש שונו כטוופוטווושבע ווווותווב שאטנצווש.

J1568	Octagam	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
11000	Octuguin	An infusion of immune globulin given over minutes/hours. Immune globulins are
J1569	Gammagard	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1572	Flebogamma Dif	used to provide antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1575	Hyqvia	used to provide antibodies to patients with compromised immune systems.
J1595	Copaxone	An injection of glatiramer acetate. This drug is used to treat multiple sclerosis.
		An infusion of immune globulin given over minutes/hours. Immune globulins are
J1599	Panzyga	used to provide antibodies to patients with compromised immune systems.
	70	An infusion given over minutes/hours or injection of golimumab. This drug is
J1602	Simponi Aria	typically given to treat auto-immune disorders including rheumatoid arthritis.
	· · ·	An infusion of brexanolone given over minutes/hours. This drug is generally used to
J1632	Zulresso	treat postpartum depression.
		Implantation of histrelin acetate. This drug is used in the treatment of prostate
J1675	histrelin	cancer and precocious puberty.
		An injection of hydroxyprogesterone. This drug is given for several reasons,
		including the treatment of advanced cancer of the uterus, and helping women who
J1726	makena	have missed periods or abnormal periods.
		An injection of hydroxyprogesterone. This drug is given for several reasons,
		including the treatment of advanced cancer of the uterus, and helping women who
J1729	Hydroxyprogesterone Caproate	have missed periods or abnormal periods.
		An infusion of idursulfase give over minutes/hours. This drug is typically used to
J1743	Elaprase	improve walking and stair-climbing ability in patients who lack a certain enzyme.
		An infusion of infliximab given over minutes/hours. This drug is typically used to
		treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel
J1745	Infliximab, Remicade	disease.
		An infusion of ibalizumab-uiyk given over minutes/hours. This drug is used to treat
J1746	Trogarzo	human immunodeficiency virus (HIV).
		An infusion of spesolimab-sbzo given over minutes/hours. This drug is used to treat
J1747	Spevigo	generalized pustular psoriasis (GPP), a long-term skin disease.
		An infusion of imiglucerase given over minutes/hours. This drug is used to treat
J1786	Cerezyme	Gaucher's disease.
		An infusion of inebilizumab-cdon given over minutes/hours. This drug is used to
		treat neuromyelitis optic spectrum disorder (NMOSD) in patients who are anti-
J1823	Uplizna	aquaporin-4 (AQP4) antibody positive.
J1826	Avonex	An injection of interferon beta-1a. This drug is used to treat multiple sclerosis (MS).
J1830	Betaseron, Extavia	An injection of interferon beta-1b. This drug is used to treat multiple sclerosis (MS).
		An injection of lanreotide. This drug is used in the treatment of acromegaly, an over-
J1930	Somatuline Depot	production of growth hormone.
		An infusion of laronidase given over minutes/hours. This drug is used to treat a
J1931	Aldurazyme	certain type of enzyme deficiency.
		An injection of leuprolide acetate. At this dose, this hormone drug is typically given
J1950	leuprolide	to women for endometriosis.
		An injection of leuprolide acetate. This drug is used to treat prostate cancer,
J1954	Lutrate	endometriosis, fibroids and precocious puberty.
J2182	Nucala	An injection of mepolizumab. This drug is usually given for asthma.
J2267	Omvoh	Injection, mirikizumab-mrkz, 1 mg
J2277	Aphexda	Injection, motixafortide, 0.25 mg
105-1	<b>-</b>	An infusion of natalizumab given over minutes/hours. This drug is used to treat
J2323	Tysabri	Crohn's disease or multiple sclerosis.
10000	0	An injection of nusinersen. This drug is typically given to treat spinal muscular
J2326	Spinraza	atrophy.

10007	Slavizi	An infusion given over minutes/hours or an injection of risankizumab, used to treat
J2327	Skyrizi	plaque psoriasis, psoriatic arthritis and Crohn's disease. An infusion of ublituximab given over minutes/hours. This drug is used to treat
J2329	Briumvi	multiple sclerosis.
12323	Bhunn	An infusion of ocrelizumab given over minutes/hours. This drug is used to treat
J2350	Ocrevus	multiple sclerosis.
12000	0010103	An injection of octreotide. This drug is used to treat diarrhea associated with certain
J2353	Sandostatin Lar Depot	tumors, and acromegaly.
12000		An infusion given over minutes/hours or an injection of octreotide, used to treat
J2354	Sandostatin, octreotide	diarrhea associated with certain tumors and acromegaly.
	,,	An injection of omalizumab. This drug is used to treat asthma that does not respond
J2357	Xolair	to inhaled steroids.
		An injection of pasireotide. This drug is typically used to decrease the amount of
J2502	Signifor Lar	growth hormone made in the body.
		An injection of pegaptanib. This drug is used primarily for macular degeneration
J2503	Macugen	caused by excessive blood vessel growth in the eye.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
J2506	Neulasta	cancer treatments by stimulating the production of white blood cells.
		An infusion of pegloticase given over minutes/hours. This drug is typcally used to
J2507	Krystexxa	treat difficult cases of chronic gout.
		An infusion of pegunigalsidase alfa-iwxj, a drug that is typically used to treat Fabry
J2508	ELFABRIO	disease.
		An injection of plerixafor. This drug is used most often as part of a stem cell
J2562	Mozobil	transplant plan.
		An injection of faricimab-svoa into the eye(s). This drug is used to treat macular
J2777	Vabysmo	edema and/or macular degeneration.
10770	L	An injection of ranibizumab. This drug is used to treat macular degeneration caused
J2778	Lucentis	by excessive blood vessel growth in the eye.
10770	Sucrimo	Placement of an eye implant that releases ranibizumab. This drug is used to treat
J2779 J2781	Susvimo Syfovre	macular degeneration caused by excessive blood vessel growth in the eye. An injection of pegcetacoplan to treat eye disease.
J2781 J2782	Izervay	Injection of pegcetacopian to theat eye disease.
52702		An infusion of rasburicase given over minutes/hours, used to treat high blood levels
J2783	Elitek	of uric acid caused by tumor lysis in cancer.
32700	Enton	
J2786	Cinqair	An infusion of reslizumab given over minutes/hours, used to treat severe asthma.
		An injection of rilonacept. This drug is typically used in the treatment of inherited
J2793	Arcalyst	auto-inflammatory diseases.
	·	An injection of romiplostim. This drug stimulates the bone marrow to produce
J2796	Nplate	platelets.
		An infusion given over minutes/hours or an injection of sargramostim (GM-CSF),
J2820	Leukine	used to stimulate the production of white blood cells after chemotherapy.
		An infusion of sebelipase alpha givein over minutes/hours, typically used to treat
J2840	Kanuma	hepatic and lipid abnormalities.
		An infusion of eptinezumab-jjmr given over minutes/hours, typically used to prevent
J3032	Vyepti	migraine headaches.
J3055	Talvey	Injection, talquetamab-tgvs, 0.25 mg
		An infusion of taliglucerase alfa given over minutes/hours, typically used to treat
J3060	Elelyso	Gaucher's diseaes, a rare genetic disorder.
J3111	Evenity	An injection of romosozumab. This drug is generally used to treat osteoporosis.
100.11		An infusion of teprotumumab-trbw given over minutes/hours, typically used to treat
J3241	Tepezza	thyroid eye disease.
100 15		An injection of tildrakizumab. This drug is used to treat sever plaque psoriasis
J3245	Ilumya	(scaly, itchy dry patches on skin).
J3247	Cosentyx	Injection, secukinumab, intravenous, 1 mg
J3262	Actemra	An infusion given over minutes/hours or an injection of tocilizumab, typically used to treat a variety of autoimmune disorders.
10202	Actemra	to treat a variety of autoimmune disorders.

12262	Logtorzi	Injustion toringlight tori 1 mg
J3263	Loqtorzi	Injection, toripalimab-tpzi, 1 mg
J3285	Remodulin, treprostinil	An infusion of treprostinil given over minutes/hours, used to treat high blood pressure in the blood vessels of the lungs.
J3285 J3315	Trelstar Mixject	
J3315 J3316		An injection of triptorelin, generally given to treat prostate cancer.
13310	Triptodur	An injection of triptorelin, generally given to treat prostate cancer.
12250	Stoloro	An injection of ustekinumab. This drug is used to treat auto-immune conditions
J3358	Stelara	including plaque psoriasis and psoriatic arthritis.
10000	Factoria	An infusion of vedolizumab given over minutes/hours, generally used to treat
J3380	Entyvio	ulcerative colitis and Crohn's disease.
10005	Marin	An infusion of velaglucerase alfa given over minutes/hours, typically used to treat
J3385	Vpriv	Gaucher's disease, a genetic enzyme deficiency.
J3393	Zynteglo	betibeglogene autotemcel
J3394	Lyfgenia	lovotibeglogene autotemcel
10007	Managari	An infusion of vestronidase alfa-vjbk given over minutes/hours, typically used to
J3397	Mepsevii	treat Sly syndrome.
		An injection of voretigene neparvovec-rzyl. This gene therapy is used to treat
J3398	Luxturna	congenital blindness.
		An infusion of onasemnogene abeparvovec-xioi given over minutes/hours, a gene
J3399	Zolgensma	therapy medication used to treat spinal muscular atrophy.
		Beremagene geperpavec-svdt, a gene therapy solution applied to the skin to treat
		dystrophic epidermolysis bullosa, which causes blistering in the middle layer of
J3401	VYJUVEK	skin.
J3490	Casgevy	exagamglogene autotemcel
J3490	Elevidys	delandistrogene moxeparvovec-rokl
J3490	Lyfgenia	lovotibeglogene autotemcel
J3490	Nulibry	fosdenopterin
J3490	Omisirge	Omidubicel
J3490	Prevymis	letermovir (injectable)
		An injection of edetate disodium (EDTA). This drug typically is used to treat
J3520	Edetate disodium	poisoning by lead or other heavy metals.
J3590	Beqvez	fidanacogene elaparvovec-dzkt
J3590	Casgevy	exagamglogene autotemcel
J3590		
	Elevidys	delandistrogene moxeparvovec-rokl
J3590	Elevidys ELFABRIO	delandistrogene moxeparvovec-rokl pegunigalsidase alfa-iwxj
J3590	ELFABRIO Lamzede	pegunigalsidase alfa-iwxj velmanase alfa-tycv
J3590 J3590	ELFABRIO	pegunigalsidase alfa-iwxj
J3590 J3590 J3590	ELFABRIO Lamzede	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn atidarsagene autotemcel
J3590 J3590	ELFABRIO Lamzede Lantidra	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn
J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn atidarsagene autotemcel
J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn atidarsagene autotemcel lovotibeglogene autotemcel
J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn atidarsagene autotemcel lovotibeglogene autotemcel omidubicel-onlv
J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic	pegunigalsidase alfa-iwxj velmanase alfa-tycv donislecel-jujn atidarsagene autotemcel lovotibeglogene autotemcel omidubicel-onlv allogeneic processed thymus tissue–agdc
J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel
J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel
J3590         J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc
J3590         J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo Zynteglo	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo Zynteglo Hemlibra	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo Zynteglo Hemlibra	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo Zynteglo Hemlibra Adzynma	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         Injection, adamts13, recombinant-krhn, 10 iu
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO Lamzede Lantidra Lenmeldy Lyfgenia Omisirge Rethymic Roctavian Rystiggio Skysona VYJUVEK Vyvgart Hytrulo Zynteglo Hemlibra Adzynma	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         Injection, adamts13, recombinant-krhn, 10 iu         An infusion of Factor X given over minutes/hours, used as a blood clotting protein.
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO         Lamzede         Lantidra         Lenmeldy         Lyfgenia         Omisirge         Rethymic         Roctavian         Rystiggio         Skysona         VYJUVEK         Vyvgart Hytrulo         Zynteglo         Hemlibra         Adzynma	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         lnjection, adamts13, recombinant-krhn, 10 iu         An infusion of Factor X given over minutes/hours, used as a blood clotting protein.         An infusion of fibrinogen given over minutes/hours, used as a blood protein for
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590	ELFABRIO         Lamzede         Lantidra         Lenmeldy         Lyfgenia         Omisirge         Rethymic         Roctavian         Rystiggio         Skysona         VYJUVEK         Vyvgart Hytrulo         Zynteglo         Hemlibra         Adzynma	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         Injection, adamts13, recombinant-krhn, 10 iu         An infusion of Factor X given over minutes/hours, used as a blood clotting protein.         An infusion of fibrinogen given over minutes/hours, used as a blood clotting protein for blood clotting.
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J7177 J7177	ELFABRIO         Lamzede         Lantidra         Lenmeldy         Lyfgenia         Omisirge         Rethymic         Roctavian         Rystiggio         Skysona         VYJUVEK         Vyvgart Hytrulo         Zynteglo         Hemlibra         Adzynma         Coagadex         Fibryga	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         Injection, adamts13, recombinant-krhn, 10 iu         An infusion of Factor X given over minutes/hours, used as a blood clotting protein.         An infusion of fibrinogen given over minutes/hours, used as a blood protein for blood clotting.         An infusion of fibrinogen given over minutes/hours, used as a blood protein for
J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J3590 J7170 J7177	ELFABRIO         Lamzede         Lantidra         Lenmeldy         Lyfgenia         Omisirge         Rethymic         Roctavian         Rystiggio         Skysona         VYJUVEK         Vyvgart Hytrulo         Zynteglo         Hemlibra         Adzynma         Coagadex         Fibryga	pegunigalsidase alfa-iwxj         velmanase alfa-tycv         donislecel-jujn         atidarsagene autotemcel         lovotibeglogene autotemcel         omidubicel-onlv         allogeneic processed thymus tissue–agdc         valoctocogene roxaparvovec         rozanolixizumab-noli         Elivaldogene autotemcel         beremagene geperpavec-svdt (topical)         efgartigimod alfa and hyaluronidase-qvfc         betibeglogene autotemcel         An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.         Injection, adamts13, recombinant-krhn, 10 iu         An infusion of Factor X given over minutes/hours, used as a blood clotting protein.         An infusion of fibrinogen given over minutes/hours, used as a blood protein for blood clotting.         An infusion of fibrinogen given over minutes/hours, used as a blood protein for blood clotting.

J7181       Tretten       promote clotting in patients lacking the protein naturally.         J7182       Novoeight       conditions, including hemophilia.         J7183       Wilate       used for hemophilia and other blood clotting problems.         J7184       Wilate       used for hemophilia and other blood clotting problems.         J7185       Xyntha, Xyntha Solofuse       conditions, including hemophilia.         J7186       Alphanate       problems.         J7187       Humate-p       An infusion of antihemophilia factor complex given over minutes/hours, used for treat bleeding innitus-fix/hours, used for treat bleeding conditions, including hemophilia.         J7187       Humate-p       An infusion of von Willebrand factor complex given over minutes/hours, used for treat bleeding conditions, including hemophilia.         J7188       Obizur       An infusion of Factor VIII forthemophilia factor, recombinant given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7189       Novoseven Rt       Treat bleeding conditions, including hemophilia.         J7190       Hemofili M, Koate, Monoclate       Conditions, including hemophilia.         J71913       Alphanine Sd, Mononine       An injection of Factor VIII formulations are used to treat bleeding conditions, including hemophilia.         J71914       Profilinine       An injection of Factor VIII forblood clotting, Factor XI formulations are used to treat bl	J7181 Trei J7182 Nov J7183 Wil J7185 Xym J7186 Alp J7187 Hun J7188 Obi J7189 Nov	orifact etten ovoeight ilate ntha, Xyntha Solofuse phanate umate-p Dizur ovoseven Rt	promote blood clotting in patients lacking the protein naturally. An infusion of Factor XIII A-subunit (recombinant) given over minutes/hours used to promote clotting in patients lacking the protein naturally. An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia. An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIII formulations are used to
An intustion of Factor XII A subunit (recombinant) given over minutes/hours used to pronote clotting in patients lacking the protein naturally.           J182         Novoeight         conditions, including hemophila.           J183         Wilate         used for hemophila and other blood clotting problems.           J184         An infusion of Factor VIII formulations are used to treat bleeding conditions, including hemophila.           J185         Xyntha Solofuse         conditions, including hemophila.           J186         Aphanate         problems.           J188         Aphanate         problems.           J188         Aphanate         problems.           J188         Aphanate         problems.           J188         Objour         minutes/hours, used for treatment of hemophila and other blood clotting problems.           J189         Novoseven Rt         treatment of hemophila.           J189         Novoseven Rt         An injection of Factor VII formulations are used to treat bleeding           J189         Novoseven Rt         An injection of Factor VII formulations are used to treat bleeding           J189         Novoseven Rt         An injection of Factor VII formulations are used to treat bleeding           J180         Hemofil KI, Koate, Kogenate, Recombinate         An injection of Factor VII formulations are used to treat bleeding           J180 <td>J7181 Trei J7182 Nov J7183 Wil J7185 Xym J7186 Alp J7187 Hun J7188 Obi J7189 Nov</td> <td>etten ovoeight ilate intha, Xyntha Solofuse phanate umate-p oizur</td> <td>An infusion of Factor XIII A-subunit (recombinant) given over minutes/hours used to promote clotting in patients lacking the protein naturally. An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia. An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIII formulations are used to</td>	J7181 Trei J7182 Nov J7183 Wil J7185 Xym J7186 Alp J7187 Hun J7188 Obi J7189 Nov	etten ovoeight ilate intha, Xyntha Solofuse phanate umate-p oizur	An infusion of Factor XIII A-subunit (recombinant) given over minutes/hours used to promote clotting in patients lacking the protein naturally. An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia. An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIII formulations are used to
J7181       Tretten       promote clotting in patients lacking the protein naturally.         J7182       Novoeight       An injection of Factor VIII formulations are used to treat bleeding.         J7183       Wlate       used for hemophila and dotter blood clotting problems.         J7184       An infusion of von Wildbrand factor complex (human) given over minutes/hours, used to treat bleeding.         J7185       Xyntha, Xyntha Sololuse       An infusion of Factor VIII given over minutes/hours, used to treat bleeding.         J7186       Alphanate       problems.       An infusion of anthemophile. Factor VIII/von Wildbrand factor complex given over minutes/hours, used for treatment of hemophila and duter blood clotting.         J7186       Alphanate       problems.       An infusion of Factor VIII ovon Wildbrand factor complex given over minutes/hours, used for treatment of hemophila and duter blood clotting.         J7187       Humate-p       treat bleeding conditions, including hemophila.         J7188       Objur       minicetion of Factor VIII anthemophile factor, recombinant) given over         J7189       Novoseven Rt       treat bleeding conditions, including hemophila.         J7190       Hemofil M, Koate, Monoclate       Conditions, including hemophila.         J7191       Hemofil M, Koate, Monoclate       Conditions, including hemophila.         J7192       Advate, Heizate, Kogenate, Recombinate       Conditions, including	J7182 Nov J7183 Wil J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ovoeight ilate ntha, Xyntha Solofuse phanate umate-p oizur ovoseven Rt	promote clotting in patients lacking the protein naturally. An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia. An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIII formulations are used to
An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophila.           17183         Wilate         used for hemophila and other blood clotting problems.           17185         Xyntha, Xyntha Soldruse         Conditions, including hemophila.           17186         Al infusion of xon Willebrand factor complex (human) given over minutes/hours, used for treatment of hemophile Factor VIII/on Willebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems.           17186         Alphanate         An infusion of xon Willebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems.           17186         Humate-p         Treatment of hemophila and other blood clotting problems.           17187         Humate-p         Treatment of hemophila and other blood clotting problems.           17188         Obizur         minutes/hours, used for treat bleeding conditions, including hemophila.           17189         Novoseven Rt         treat bleeding conditions, including hemophila.           17180         Hemofil M, Koate, Monoclate         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding           17189         Alphanine Sd, Mononine         bleeding conditions, including hemophila.           17184         Profilnine         Diade conditions, including hemophila.           17184         Profilnine	J7183 Wil J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ilate Intha, Xyntha Solofuse phanate umate-p Dizur Dizur	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia. An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VII formulations are used to
An Infusion of you Wilebrand factor complex (human) given over minutes/hours used for hemophila and other blood clotting problems.         J7183       Xyntha, Xyntha Solofuse       An Infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophila.         J7186       Alphanate       An Infusion of themophile Factor VIII wow Wilebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems.         J7186       Alphanate       An Infusion of two Wilebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems.         J7187       Humate-p       Treatment of hemophila and other blood clotting problems.         J7187       Humate-p       An Infusion of Your Willebrand factor complex given over minutes/hours, used for treatment of hemophila.         J7188       Obizur       minutes/hours, used to treat bleeding conditions, including hemophila.         J7189       Novoseven Rt       treat bleeding conditions, including hemophila.         J7180       Hemofil M, Koate, Monoclate       conditions, including hemophila.         J7181       Alynanine Sd, Mononine       Dieeding conditions, including hemophila.         J7183       Alphanine Sd, Mononine       Dieeding conditions, including hemophila.         J7184       Profilnine       Dieeding conditions, including hemophila.         J7185       Benefix, binity       minection of F	J7183 Wil J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ilate Intha, Xyntha Solofuse phanate umate-p Dizur Dizur	An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIIa formulations are used to
An Infusion of you Wilderand factor complex (human given over minutes/hours used for hemophila and other blood clotting problems.           J7183         Wilate         An Infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophila.           J7186         Alphanate         An Infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophila.           J7186         Alphanate         An Infusion of You Willebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clotting problems.           J7187         Humate-p         An Infusion of You Willebrand factor complex given over minutes/hours, used for treatment of hemophila.           J7187         Humate-p         Treatment of hemophila and other blood clotting problems.           J7188         Obizur         Minites/hours, used to treat bleeding conditions, including hemophila.           J7189         Novaseven Rt         Treat bleeding conditions, including hemophila.           J7180         Hemofil M, Koate, Monoclate         conditions, including hemophila.           J7181         Alphanine SG, Mononine         Diedering conditions, including hemophila.           J7183         Alphanine SG, Mononine         Diedering conditions, including hemophila.           J7184         Profilnine         Diedering conditions, including hemophila.           J7185         Benefix, kinitly         Miniection of F	J7183 Wil J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ilate Intha, Xyntha Solofuse phanate umate-p Dizur Dizur	An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIIa formulations are used to
17183       Wilate       used for hemophilia and other blood clotting, problems.         17185       Xyntha, Xyntha Solofuse       conditions, including hemophilia.         17186       Aphanate       problems.         17187       Humate-phore, used for treatment of hemophilia and other blood clotting, problems.         17186       Aphanate       problems.         17187       Humate-p       treatment of hemophilia and other blood clotting, problems.         17187       Humate-p       An infusion of Factor VIII (anthemophilic factor, recombinant) given over         17188       Objzur       minutes/hours, used to treat bleeding conditions, including hemophilia.         17189       Novoseven Rt       Treat bleeding conditions, including hemophilia.         17190       Hemofil M, Koate, Monoclate       conditions, including hemophilia.         17193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         17194       Humate-p       An injection of Factor VIII formulations are used to treat bleeding         17193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         17194       Profilnine       An injection of Factor XII formulations, including hemophilia.         17195       Benefix, binity       minutes/hours, used to treat bleeding conditions, including hemophilia.         17194	J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ilate ntha, Xyntha Solofuse phanate umate-p pizur pvoseven Rt	used for hemophilia and other blood clotting problems. An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIIa formulations are used to
An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.           J7185         Xyntha, Xyntha Solofuse           An infusion of anthemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems.           J7186         Alphanate           J7186         Alphanate           J7187         Humate-p           J7188         Obizur           J7189         Obizur           J7189         Obizur           J7189         Novoseven Rt           Treat bleeding conditions, including hemophilia.           J7189         Novoseven Rt           Treat bleeding conditions, including hemophilia.           J7189         Novoseven Rt           Hemofil M, Koate, Monoclate         Conditions, including hemophilia.           J7190         Hemofil M, Koate, Kogenate, Recombinate           Conditions, including hemophilia.         An injection of Factor XII. Factor XII formulations are used to treat bleeding           J7193         Alphanine Sd, Mononine         Diededing conditions, including hemophilia.           J7194         Profilnine         Diededing conditions, including hemophilia.           J7195         Benefix, kinity         An injection of Factor XI (anthemophilia factor XI formulations are used to treat bleeding co	J7185 Xyn J7186 Alp J7187 Hun J7188 Obi J7189 Nov	ntha, Xyntha Solofuse phanate umate-p pizur pvoseven Rt	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIII for blood clotting. Factor VIIa formulations are used to
17185         Xyntha Solofuse         conditions, including hemophilia.           77186         Alphanate         An infusion of antihemophilic Factor VIII/on Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting           77186         Alphanate         problems.           77187         Humate-p         An infusion of Von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.           77188         Obizur         An infusion of Factor VIII for blood clotting, Factor VIII formulations are used to treat bleeding conditions, including hemophilia.           77189         Newoseven Rt         Treat bleeding conditions, including hemophilia.           77190         Hemofil M, Koate, Monoclate         Conditions, including hemophilia.           77193         Advate, Helkate, Kogenate, Recombinate         Conditions, including hemophilia.           77194         Profinine         Bleeding conditions, including hemophilia.           77195         Alphanine Sd, Mononine         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.           7194         Profinine         Bleeding conditions, including hemophilia.           7194         Profinine         An injection of Factor VII. Factor VIII formulations are used to treat bleeding conditions, including hemo	J7186 Alp J7187 Hur J7188 Obi J7189 Nov	phanate umate-p pizur pvoseven Rt	conditions, including hemophilia. An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
An infusion of antihemophilic Factor VIII/von Wilebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems.           17186         Alphanate           17187         Humate-p           17188         Obizur           17189         Humate-p           17189         Humate-p           17189         Humate-p           17188         Obizur           17188         Obizur           17189         Novoseven Rt           17189         Hemofil M, Koate, Monoclate           17180         Hemofil M, Koate, Monoclate           17181         An injection of Factor VIII Fortool Clotting, Factor VII Formulations are used to treat bleeding           17190         Hemofil M, Koate, Monoclate         conditions, including hemophilia.           17191         Advate, Helixate, Kogenate, Recombinate         Conditions, including hemophilia.           17193         Alphanine Sd, Mononine         Dieeding conditions, including hemophilia.           17194         Profilnine         Dieeding conditions, including hemophilia.           17195         Benefix, kinity         Minites/hours, used to treat bleeding conditions, including hemophilia.           17196         Hemofil M, Koate, Monocine         An injection of Factor IX for blood clotting, Factor IX formulations are used to treat <td>J7186 Alp J7187 Hur J7188 Obi J7189 Nov</td> <td>phanate umate-p pizur pvoseven Rt</td> <td>An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to</td>	J7186 Alp J7187 Hur J7188 Obi J7189 Nov	phanate umate-p pizur pvoseven Rt	An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
J7186     Alphanate     problems.       J7187     Humate-p     Treatment of hemophila and other blood clotting problems.       J7187     Humate-p     An infusion of Yach Villebrand factor complex given over minutes/hours, used for minutes/hours, used to treat bleeding conditions, including hemophila.       J7188     Obizur     An injection of Factor Vill a for blood clotting, Factor Vill of thread bleeding conditions, including hemophila.       J7189     Novoseven Rt     Treat bleeding conditions, including hemophila.       J7190     Hemofil M, Koate, Monoclate     Conditions, including hemophila.       J7191     Advate, Helixate, Kogenate, Recombinate     conditions, including hemophila.       J7193     Alphanine Sd, Mononine     bleeding conditions, including hemophila.       J7194     Profilinine     An injection of Factor VII. Factor VII formulations are used to treat bleeding conditions, including hemophila.       J7194     Profilinine     An injection of Factor IX for blood clotting, Factor IX formulations are used to treat bleeding conditions, including hemophila.       J7195     Benefix, Ixinity     minutes/hours, used to treat bleeding conditions, including hemophila.       J7197     Thrombate lii     problems in patients lacking an ormal protein.       J7198     Feiba, Feiba Nf     blood clotting, Factor IX formulations are used to treat bleeding conditions, including hemophila.       J7199     Hemophilia clott factor, not otherwise classifi     no ingletio	J7187 Hui J7188 Obi J7189 Nov	phanate umate-p pizur pvoseven Rt	minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
J7186       Alphanate       problems.         J7187       Humate-p       An infusion of von Willebrand factor complex given over minutes/hours, used for atminutes/hours, used to treat bleeding conditions, including hemophilia.         J7188       Obizur       An infusion of Factor VIII (antihemophili and other blood clotting, problems.         J7189       Novoseven Rt       Treat bleeding conditions, including hemophilia.         J7190       Hemofil M, Koate, Monoclate       conditions, including hemophilia.         J7191       Hemofil M, Koate, Monoclate       conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate       conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       Diedering conditions, including hemophilia.         J7194       Profilnine       Diedering conditions, including hemophilia.         J7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7196       Hemophilia clot factor, not otherwise classifi       non injection of factor IX for mulations are used to treat bleeding conditions, including hemophilia.	J7187 Hui J7188 Obi J7189 Nov	umate-p Dizur Dvoseven Rt	problems. An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophlia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophila and other blood clothing problems.         J7187       Humate-p         An infusion of Factor VIII of themophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7188       Obizur         J7189       Novoseven Rt         Treatment of factor VIII formulations, including hemophilia.         J7190       Hemofil M, Koate, Monoclate         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate         Conditions, including hemophilia.       An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       bleeding conditions, including hemophilia.         J7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate III       problems in patients lacking a normal protein.         J7198       Penefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate III       problems in patients lacking a normal protelin.         J7198 <td>J7187 Hui J7188 Obi J7189 Nov</td> <td>umate-p Dizur Dvoseven Rt</td> <td>An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophlia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to</td>	J7187 Hui J7188 Obi J7189 Nov	umate-p Dizur Dvoseven Rt	An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophlia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
17187       Humate-p       treatment of hemophilia and other blood clotting problems.         7188       Obizur       An intusion of Factor VIII (antihemophilic factor, recombinant) given over         7188       Novoseven Rt       An injection of Factor VIIa for blood clotting, Factor VIIa for mulations are used to treat bleeding conditions, including hemophilia.         7190       Hemofil M, Koate, Monoclate       Conditions, including hemophilia.         7191       Hemofil M, Koate, Kogenate, Recombinate       Conditions, including hemophilia.         7192       Advate, Helixate, Kogenate, Recombinate       Conditions, including hemophilia.         7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         7194       Profilinine       bleeding conditions, including hemophilia.         7195       Benefix, Ixinity       An injection of Factor XI for blood clotting. Factor IX formulations are used to treat         7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         7196       Feiba, Feiba Nf       blood clotting. Factor IX for blood clotting.         7197       Thrombate lii       problems in patients tacking an ormal protein.         7198       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         7199       Hemophilia clot factor, not otherwise classlifi	J7188 Obi J7189 Nov	pizur pvoseven Rt	treatment of hemophlia and other blood clotting problems. An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
An intusion of Factor VIII (antihemophilic factor, recombinant) given over         J7188       Obizur         Man injection of Factor VII of tobod clothing, Factor VII and phemophilia.         J7189       Novoseven Rt         Transpection of Factor VII of Tobod clothing, Factor VII and tobod clothing.         J7190       Hemofil M, Koate, Monoclate         Conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate         An injection of Factor VII of Dodd clothing. Factor XI formulations are used to treat bleeding conditions, including hemophilia.         J7193       Alphanine Sd, Mononine         Dieding conditions, including hemophilia.       An injection of Factor XI for Dodd clothing. Factor XI formulations are used to treat         J7194       Profilnine       Dieding conditions, including hemophilia.         J7195       Benefix, kinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7196       Profilnine       Dieding conditions, including hemophilia.         J7197       Thrombate III       An injection of Factor XI for Diod clothing. Factor XI formulations are used to treat bleeding conditions, including hemophilia.         J7197       Thrombate III       An injection of antitrombin. This drug is typically is to treat bleeding conditions, including hemophilia.         J7198       Feiba, Feiba Nf       An injection of Factor X (antihe	J7188 Obi J7189 Nov	pizur pvoseven Rt	An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
J7188       Obizur       An injection of Factor VII for blood clotting. Factor VII formulations are used to treat bleeding conditions, including hemophilia.         J7190       Novoseven Rt       An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.         J7190       Hemofil M, Koate, Monoclate       Conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate       Conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       Deleding conditions, including hemophilia.         J7194       Profilnine       Deleding conditions, including hemophilia.         J7195       Benefix, Ikinity       An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.         J7195       Benefix, Ikinity       Minipection of Factor IX formulations, including hemophilia.         J7196       Feiba, Feiba NI       Minipection of antithromohilic factor, recombinant) given over         J7198       Feiba, Feiba NI       blood clotting.       An injection of antithromohilic factor, recombinant, Diven over         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.       normal protein.         J7199       Feiba, Feiba NI       blood clotting.       normal blood clotting.       normal protein.         J7200       Rikubis	J7189 Nov	pizur pvoseven Rt	minutes/hours, used to treat bleeding conditions, including hemophilia. An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
J7189         Novoseven Rt         An injection of Factor VIIa for blood clotting, Factor VIIa formulations are used to treat bleeding conditions, including hemophilia.           J7190         Hemofil M, Koate, Monoclate         conditions, including hemophilia.           J7192         Advate, Helixate, Kogenate, Recombinate         conditions, including hemophilia.           J7193         Alphanine Sd, Mononine         bleeding conditions, including hemophilia.           J7194         Advate, Helixate, Kogenate, Recombinate         conditions, including hemophilia.           J7193         Alphanine Sd, Mononine         bleeding conditions, including hemophilia.           J7194         Profilnine         bleeding conditions, including hemophilia.           J7195         Benefix, binity         minusion of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.           J7195         Benefix, binity         an injection of antitrombin. This drug typically given over           J7196         Feiba, Feiba Nf         blood clotting.           J7197         Thrombate lii         problems in patients lacking a normal protein.           J7199         Hemophilia clot factor, not otherwise classifi         normal blood clotting.           J7199         Hemophilia clot factor, not otherwise classifi         normal blood clotting.           J7200         Rixubis	J7189 Nov	ovoseven Rt	An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to
J7189       Novoseven Rt       treat bleeding conditions, including hemophilia.         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.       An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.         J7190       Hemofil M, Koate, Monoclate       Conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate       Conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       bleeding conditions, including hemophilia.         J7195       Benefix, binity       minipection of Factor IX for blood clotting, Factor IX formulations are used to treat bleeding conditions, including hemophilia.         J7195       Benefix, binity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       minfusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia. <t< td=""><td></td><td></td><td></td></t<>			
J7190         Hemofil M, Koate, Monoclate         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.           J7192         Advate, Helixate, Kogenate, Recombinate         An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.           J7193         Alphanine Sd, Mononine         Deeding conditions, including hemophilia.           J7193         Alphanine Sd, Mononine         Deeding conditions, including hemophilia.           J7194         Profilnine         Dieeding conditions, including hemophilia.           J7195         Benefix, Ixinity         An injection of Factor IX for blood clotting, Factor IX formulations are used to treat bleeding conditions, including hemophilia.           J7196         Benefix, Ixinity         Minipection of anti-Inhibitor complex. This drug is typically given to treat blood clotting in problems in patients lacking a normal protein.           J7197         Thrombate lii         Droblems in patients lacking a normal protein.           J7198         Feiba, Feiba Nf         blood clotting.           J7199         Hemophilia clot factor, not otherwise classifi         An injection of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions including hemophilia.           J7199         Hemophilia clot factor, not otherwise classifi         An ingection of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat			traat plooding conditions, including homophilia
J7190       Hemofil M, Koate, Monoclate       conditions, including hemophilia.         J7192       Advate, Helixate, Kogenate, Recombinate       conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       bleeding conditions, including hemophilia.         J7195       Auphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       bleeding conditions, including hemophilia.         J7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate Iii       an injection of Factor IX for State IX formulations are used to treat bleeding conditions, including hemophilia.         J7197       Thrombate Iii       an injection of anti-inhibitor complex. This drug typically given to treat blood clotting.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normat blood clotting factor. This drug typically is given to promote normal blood clotting.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       including hemophilia.         J7202       Rixubis       an infusion of Factor IX given over minutes/hours, used to treat bleeding conditi	J7190 Her		
J7192       Advate, Helixate, Kogenate, Recombinate       An injection of Factor VIII. Factor VIII Formulations are used to treat bleeding conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       Diseding conditions, including hemophilia.         J7194       Profilnine       Diseding conditions, including hemophilia.         J7195       Benefix, kinity       An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.         J7197       Benefix, kinity       An injection of antithrombin. This drug is typically given to treat blood clotting         J7197       Thrombate lii       problems in patients lacklag anormal protein.         J7198       Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       An injection of anti-inhibitor complex. This drug typically is given to promote normal blood clotting.         J7198       Feiba Nf       blood clotting.       An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7200       Rixubis       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7201       Alprolix       A	J7190 Her	emont M, Koate, Monoclate	
J7192       Advate, Helixate, Kogenate, Recombinate       conditions, including hemophilia.         J7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       bleeding conditions, including hemophilia.         J7195       Benefix, kinity       An infection of Factor IX for blood clotting, Factor IX formulations are used to treat         J7195       Benefix, kinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classiff       normat blood clotting.         J7199       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7199       Hemophilia clot factor, not otherwise classiff       normat blood clotting.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions.         J7201       Rixubis       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       including hemophilia.         J			
An injection of Factor IX for blood clotting. Factor IX formulations are used to treat         J7193       Alphanine Sd, Mononine         An injection of Factor IX for blood clotting. Factor IX formulations are used to treat         J7194       Profilnine         An injection of Factor IX for blood clotting. Factor IX formulations are used to treat         J7195       Benefix, Ixinity         An infusion of Factor IX (antihemophilia.         J7197       Thrombate Iii         J7198       Feiba, Feiba Nf         J7199       Hemophilia clott factor, necombinant) given over         J7197       Thrombate Iii         J7198       Feiba, Feiba Nf         blood clotting.       An injection of anti-Inhibitor complex. This drug typically is given to promote normal blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX (given over minutes/hours, used to treat bleeding conditions)         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions)         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions)         J7202       I	17400 4-1	hada Haliada Kadanata Daarahinata	
J7193       Alphanine Sd, Mononine       bleeding conditions, including hemophilia.         J7194       Profilnine       An injection of Factor IX for blood clotting, Factor IX formulations are used to treat bleeding conditions, including hemophilia.         J7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       an infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       an infusion of Factor IX given over minutes/hours, used to treat bleeding conditions.         J7201       Alprolix       an infusion of Factor IX given over minutes/hours, used to treat bleeding conditions.         J7203       Idelvion       including hemophilia.         J7204       Alprotix       an infusion of Factor IX given ov	J/192 Adv	-	
An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.           17194         Profilnine         An infusion of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.           17195         Benefix, Ixinity         Minites/hours, used to treat bleeding conditions, including hemophilia.           17197         Thrombate III         problems in patients lacking a normal protein.           17198         Feiba, Feiba Nf         blood clotting.           17199         Hemophilia clot factor, not otherwise classifi         normal blood clotting.           17199         Hemophilia clot factor, not otherwise classifi         normal blood clotting.           17200         Rixubis         An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.           17201         Alprolix         including hemophilia.           17202         Idelvion         including hemophilia.           17203         Rebinyn         including hemophilia.           17204         An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.           17201         Alprolix         including hemophilia.           17202         Idelvion         including hemophilia.           17203         Rebinyn <t< td=""><td></td><td></td><td></td></t<>			
J7194       Profilnine       bleeding conditions, including hemophilia .         J7195       Benefix, kinity       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7195       Benefix, kinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting,         J7199       Hemophilia clot factor, not otherwise classifi       no injection of anti-inhibitor complex. This drug typically is given to promote normal blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7203       Rebinyn       including hemophilia.         J7204       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7203       Rebinyn       including hemophilia.       An infusion of Factor I	J/193 Alp	phanine Sd, Mononine	
An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7195       Benefix, Ixinity         Minipution       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7197       Thrombate lii       An injection of antih-nombin. This drug is typically given to treat blood clotting         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7190       Rixubis       An infuscion of Factor IX (antihemophilic factor, recombinant) given over         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprotix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       including hemophilia.         J7204       Alprotix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       including hemophilia.         J7204       Alprotix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       including hemophilia. <td></td> <td></td> <td></td>			
J7195       Benefix, Ixinity       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not othenwise classifi       normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7201       Alprolix       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7201       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       including hemophilia.         J7204       Alprolix       including hemophilia.         J7205       Idelvion       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, including hemophilia.         J7207       Adynovate       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7205       Eloctate       conditions, including hemophilia.	J7194 Pro	ofilnine	
An injection of antithrombin. This drug is typically given to treat blood clotting         J7197       Thrombate lii       problems in patients lacking a normal protein.         J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.         J7200       Rixubis       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7205       Adynovate       bleeding conditions, including hemophilia.         J7204       Adynovate       bleeding conditions, including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, includings hemophilia.			
J7197       Thrombate lii       problems in patients lacking a normal protein.         An injection of anti-inhibitor complex. This drug typically is given to promote normal blood clotting.         J7198       Feiba, Feiba Nf         blood clotting.       An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       including hemophilia.         J7204       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7205       Eloctate       Conditions, including hemophilia.         J7205       Eloctate       Conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, including hemophilia. <td>J7195 Ber</td> <td>enefix, lxinity</td> <td></td>	J7195 Ber	enefix, lxinity	
An injection of anti-inhibitor complex. This drug typically is given to promote normal blood clotting.         J7198       Feiba, Feiba Nf         J7199       Hemophilia clot factor, not otherwise classifi       An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7206       Adynovate       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7206       Adynovate       bleeding conditions, including hemophilia.         J7205       Jivi       Direding conditions, including hemophilia.         J7208       Jivi       Direding conditions, including hemophilia.         J7209			
J7198       Feiba, Feiba Nf       blood clotting.         J7199       Hemophilia clot factor, not otherwise classifi       An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7206       Adynovate       An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         J7209       Nuwiq	J7197 Thr		
J7199       Hemophilia clot factor, not otherwise classifi       An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprotix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7205       Eloctate       Conditions, including hemophilia.         J7207       Adynovate       Deleding conditions, including hemophilia.         J7204       Jivi       Deleding conditions, including hemophilia.         J7205       Eloctate       Conditions, including hemophilia.         J7207       Adynovate       Deleding conditions, including hemophilia.         J7208       Jivi       Deleding conditions, includings hemophilia.         J7209       Nuwiq       An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         J7209 <td< td=""><td></td><td></td><td>An injection of anti-inhibitor complex. This drug typically is given to promote normal</td></td<>			An injection of anti-inhibitor complex. This drug typically is given to promote normal
J7199       Hemophilia clot factor, not otherwise classifi       normal blood clotting.         J7200       Rixubis       An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions         J7203       Rebinyn       including hemophilia.         J7204       Hard an infusion of Factor IX given over minutes/hours, used to treat bleeding conditions         J7205       Eloctate       Conditions, including hemophilia.         J7205       Eloctate       Conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, includings hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       An infusion of Factor VIII given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.	J7198 Feil	iba, Feiba Nf	-
An infusion of Factor IX (antihemophilic factor, recombinant) given over         J7200       Rixubis         minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix         including hemophilia.         J7202       Idelvion         including hemophilia.         J7203       Rebinyn         including hemophilia.         J7203       Rebinyn         including hemophilia.         J7204       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn         including hemophilia.         J7205       Eloctate         Conditions, including hemophilia.         J7207       Adynovate         J7208       Jivi         Jivi       bleeding conditions, includings hemophilia.         J7208       Jivi         J7209       Nuwiq         Deceding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi         Deleding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq			An injection of hemophilia clotting factor. This drug typically is given to promote
J7200       Rixubis       minutes/hours, used to treat bleeding conditions, including hemophilia.         J7201       Alprolix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions         J7203       Rebinyn       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, including hemophilia.         J7209       Nuwiq       Dieding conditions, including hemophilia.	J7199 Her	emophilia clot factor, not otherwise classifi	normal blood clotting.
An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions         J7201       Alprolix         including hemophilia.         J7202       Idelvion         including hemophilia.         J7203       Rebinyn         including hemophilia.         J7205       Eloctate         Conditions, including hemophilia.         J7205       Eloctate         Conditions, including hemophilia.         J7207       Adynovate         bleeding conditions, including hemophilia.         J7207       Adynovate         bleeding conditions, including hemophilia.         J7208       Jivi         bleeding conditions, including hemophilia.         J7208       Nuwiq         bleeding conditions, including hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7207       Adynovate         bleeding conditions, includings hemophilia.         J7208       Jivi         bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq         bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to			An infusion of Factor IX (antihemophilic factor, recombinant) given over
J7201       Alprolix       including hemophilia.         J7202       Idelvion       including hemophilia.         J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7203       Rebinyn       including hemophilia.         J7205       Eloctate       conditions, including hemophilia.         J7207       Adynovate       Deleding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, including hemophilia.         J7208       Jivi       bleeding conditions, including hemophilia.         J7209       Nuwiq       Deleding conditions, including hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq       bleeding conditions, including hemophilia.	J7200 Rix	xubis	minutes/hours, used to treat bleeding conditions, including hemophilia.
J7202IdelvionAn infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.J7203RebinynAn infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.J7203RebinynInfusion of Factor VIII given over minutes/hours, used to treat bleeding An infusion of Factor VIII given over minutes/hours, used to treat bleedingJ7205Eloctateconditions, including hemophilia.J7207Adynovatebleeding conditions, includings hemophilia.J7208Jivibleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.An infusion given over minutes/hours, used to treat bleeding An infusion of Factor VIII given over minutes/hours, used to treat bleeding			An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions,
J7202Idelvionincluding hemophilia.J7203RebinynAn infusion of Factor IX given over minutes/hours, used to treat bleeding conditionsJ7203Rebinynincluding hemophilia.J7205EloctateAn infusion of Factor VIII given over minutes/hours, used to treat bleedingJ7207Adynovatebleeding conditions, including hemophilia.J7208Jivibleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7209Nuwiqbleeding conditions, includings hemophilia.An infusion of Factor VIII given over minutes/hours, used to treat bleedingJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NuwiqJ7209NumiqJ7209NumiqJ7209Numiq<	J7201 Alp	prolix	including hemophilia.
J7203       Rebinyn       An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions including hemophilia.         J7205       Eloctate       An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7207       Adynovate       bleeding conditions, includings hemophilia.         J7208       Jivi       An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi			An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions,
J7203Rebinynincluding hemophilia.J7203RebinynAn infusion of Factor VIII given over minutes/hours, used to treat bleedingJ7205Eloctateconditions, including hemophilia.J7207Adynovatebleeding conditions, includings hemophilia.J7207Adynovatebleeding conditions, includings hemophilia.J7208Jivibleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7209Nuwiqbleeding conditions, includings hemophilia.An infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7202 Ide	elvion	including hemophilia.
J7205       Eloctate       An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.         J7207       Adynovate       An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         J7207       Adynovate       bleeding conditions, includings hemophilia.         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, includings hemophilia.			An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions,
J7205Eloctateconditions, including hemophilia.J7207AdynovateAn infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7207Adynovatebleeding conditions, includings hemophilia.J7208Jivibleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.J7209Nuwiqbleeding conditions, includings hemophilia.An infusion given over minutes/hours or an injection of Factor VIII, used to treatJ7209NuwiqAn infusion given over minutes/hours, used to treat bleedingAn infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7203 Ret	ebinyn	including hemophilia.
An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7207       Adynovate         bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi         bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi         bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq         bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding			An infusion of Factor VIII given over minutes/hours, used to treat bleeding
J7207       Adynovate       bleeding conditions, includings hemophilia.         J7208       Jivi       An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding       An infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7205 Elo	octate	conditions, including hemophilia.
J7208       Jivi       An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7208       Jivi       bleeding conditions, includings hemophilia.         J7209       Nuwiq       bleeding conditions, includings hemophilia.         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding			An infusion given over minutes/hours or an injection of Factor VIII, used to treat
J7208       Jivi       bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding         An infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7207 Ady	lynovate	bleeding conditions, includings hemophilia.
J7208       Jivi       bleeding conditions, includings hemophilia.         An infusion given over minutes/hours or an injection of Factor VIII, used to treat         J7209       Nuwiq       bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding         An infusion of Factor VIII given over minutes/hours, used to treat bleeding			An infusion given over minutes/hours or an injection of Factor VIII, used to treat
J7209       Nuwiq       An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.         An infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7208 Jivi		
J7209     Nuwiq     bleeding conditions, includings hemophilia.       An infusion of Factor VIII given over minutes/hours, used to treat bleeding			
An infusion of Factor VIII given over minutes/hours, used to treat bleeding	J7209 Nuv	piwu	
	J7210 Afe	at da	
An influsion of Factor VIII given over minutes/hours, used to treat bleeding	., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	sivia	· · ·
	17211 Kov	รเงเล	An infusion of Factor VIII given over minutes/hours used to treat bleeding
	57211 KUV		An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia
ACCOUNTED SIVELOVELOUTER COMPETITION OF CONTRACT AVAILATION ACCOUNT AVAILATION AVAILATI	17213 Ivin	ovaltry	conditions, including hemophilia.
J7213 Ixinity helps the blood to form clots to stop bleeding and is used to treat hemophilia B.		ovaltry	conditions, including hemophilia. An infusion given over minutes/hours or injection of coagulation factor IX, which

		An infusion of Footor VIII given over minutes (hours, used to treat blooding
J7214	Altuviio	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7214	Alluvilo	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7318	Durolane	joint, to treat arthritis pain that does not respond to more typical treatments.
57510	Durotane	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7320	Genvisc 850	joint, to treat arthritis pain that does not respond to more typical treatments.
57520	0011130 000	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7321	Hyalgan, Supartz Fx, Visco-3	joint, to treat arthritis pain that does not respond to more typical treatments.
J7321	Tiyatgan, Supartz FX, Visco-S	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7322	Hymovis	joint, to treat arthritis pain that does not respond to more typical treatments.
J7322	Trymovis	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7323	Euflexxa	
J7323	Eullexxa	joint, to treat arthritis pain that does not respond to more typical treatments.
17004	Outhousing	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7324	Orthovisc	joint, to treat arthritis pain that does not respond to more typical treatments.
17005	Curruine Curruine One	An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7325	Synvisc, Synvisc One	joint, to treat arthritis pain that does not respond to more typical treatments.
		An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7326	Gel-one	joint, to treat arthritis pain that does not respond to more typical treatments.
		An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7327	Monovisc	joint, to treat arthritis pain that does not respond to more typical treatments.
		An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7328	Gelsyn-3	joint, to treat arthritis pain that does not respond to more typical treatments.
		An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7329	Trivisc	joint, to treat arthritis pain that does not respond to more typical treatments.
J7330	MACI	Cartilage implant, generally done to repair defective cartilage in the knee.
J7331	Sodium Hyaluronate, Synojoynt	An injection of hyaluronan, generally given to treat severe arthritic pain.
		An injection of sodium hyaluronate. This medication typically is used to lubricate a
J7332	Triluron	joint, to treat arthritis pain that does not respond to more typical treatments.
		An injection of bimatoprost. This medication is typically used to reduce pressure
J7351	Durysta	An injection of bimatoprost. This medication is typically used to reduce pressure inside the eye.
J7351	Durysta	
J7351	Durysta	inside the eye.
J7351 J7352	Durysta Scenesse	inside the eye. Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.
	· ·	inside the eye. Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from
J7352	Scenesse	inside the eye. Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.
J7352 J7354	Scenesse Ycanth	inside the eye.Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)
J7352 J7354	Scenesse Ycanth	inside the eye.Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram
J7352 J7354 J7355	Scenesse Ycanth iDose TR	inside the eye.Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)Injection, travoprost, intracameral implant, 1 microgram An implant of mometasone furoate. This drug is a steroid typically given to treat
J7352 J7354 J7355	Scenesse Ycanth iDose TR	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> </ul>
J7352 J7354 J7355 J7402	Scenesse Ycanth iDose TR Sinuva	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability</li> </ul>
J7352 J7354 J7355 J7402 J7686	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter)	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> </ul>
J7352 J7354 J7355 J7402 J7686	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter)	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9025	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9025	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9025 J9029	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza Adstiladrin	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)</li> <li>Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion of avelumab given over minutes/hours or an injection of azeitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9023 J9025 J9025	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza Adstiladrin Avastin	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers. An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9021 J9025 J9029	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza Adstiladrin	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9025 J9025 J9025 J9035	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza Adstiladrin Avastin Blenrep	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab-awwb. This drug is generally used to treat various types of cancer.</li> </ul>
J7352 J7354 J7355 J7402 J7686 J8999 J9020 J9021 J9023 J9023 J9025 J9025	Scenesse Ycanth iDose TR Sinuva Tyvaso (Refill, Starter) Lytgobi asparaginase Rylaze Bavencio Vidaza Adstiladrin Avastin	<ul> <li>inside the eye.</li> <li>Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.</li> <li>Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) Injection, travoprost, intracameral implant, 1 microgram</li> <li>An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.</li> <li>An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .</li> <li>futibatinib</li> <li>An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.</li> <li>An infusion of avelumab given over minutes/hours used to treat variety of cancers.</li> <li>An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.</li> <li>An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.</li> <li>An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.</li> </ul>

J9056	Vivimusta	An infusion of bendamustine given over minutes/hours used to treat types of leukemia and lymphoma.
19020	VIVIITUSta	An infusion of copanlisib given over minutes/hours used to treat relapsed follicular
J9057	Aliqopa	lymphoma.
	T. D.	An infusion of bendamustine given over minutes/hours used to treat types of
J9058	Bendamustine	leukemia and lymphoma.
		An infusion of bendamustine given over minutes/hours used to treat types of
J9059	Bendamustine	leukemia and lymphoma.
		An infusion of amivantamab-vmjw. This drug is typically used to treat non-small cell
J9061	Rybrevant	lung cancer.
		An infusion of mirvetuximab soravtansine-gynx given over minutes/hours. This drug
J9063	Elahere	is used to treat peritoneal and ovarian cancer or cancer in the fallopian tubes.
		An infusion given over minutes/hours or an injection of cladribine used to treat
J9065	Cladribine	leukemia.
10110	Assesses	An infusion of calaspargase pegol-mknl given over minutes/hours generally used to
J9118	Asparlas	treat acute lymphoblastic leukemia. An infusion of cemiplimab given over minutes/hours used to treat various cancers
J9119	Libtayo	including squamous cell skin cancer, myeloma, and lung cancer.
,5115	Librayo	An infusion of daunorubicin and cytarabine liposomal given over minutes/hours
J9153	Vyxeos	used to treat acute myeloid leukemia.
,0100	1,000	An infusion of durvalumab given over minutes/hours used to certain types of cancer
J9173	Imfinzi	like NSCLC and SCLC.
		An infusion of enfortumab vedotin-ejfv given over minutes/hours used to treat
J9177	Padcev	advanced for metastatic urothelial cancer.
		An implant of goserelin. This drug is typically given to treat endometriosis, and for
J9202	Zoladex	breast and prostate cancer.
		An infusion of gemtuzumab ozogamicin given over minutes/hours, a chemotherapy
J9203	Mylotarg	drug used to treat leukemia.
		An infusion of mogamulizumab given over minutes/hours used to treat cancer in the
J9204	Poteligeo	blood.
		An infusion of emapalumab-lzg given over minutes/hours, used for the treatment of
J9210	Gamifant	hemophagocytic lymphohistiocytosis.
10010	Deferen A	An injection of interferon alfa-2a. This is a drug primarily used to treat chronic
J9213	Roferon-A	hepatitis. An infusion of lurbinectedin given over minutes/hours, typically used to treat
J9223	Zepzelca	metastatic small cell metastic lung cancer.
J9225	Vantas	An implanted dose of histrelin, a drug used in the treatment of prostate cancer.
10220	Vintab	An implanted dose of histrelin, a drug used in the treatment of central precocious
J9226	Supprelin La	puberty.
		An infusion of isatuximab-irfc given over minutes/hours, typically used to treat
J9227	Sarclisa	multiple myeloma.
		An infusion of ipilumumab given over minutes/hours used to treat certain types of
J9228	Yervoy	cancers.
		An infusion of inotuzumab ozogamicin given over minutes/hours typically used to
J9229	Besponsa	treat leukemia.
		An infusion of melphalan given over minutes/hours. This drug is used to treat
J9247	Pepaxto	multiple myeloma.
10000	Currenile a	An injection of omacetaxine mepesuccinate. This drug is typically used to treat
J9262	Synribo	certain types of blood cancers.
10000	Operation	An infusion given over minutes/hours or an injection of pegaspargase, a
J9266	Oncaspar	chemotherapy drug used to treat leukemia.
J9269	Elzonris	An infusion of tagraxofusp-erzs given over minutes/hours, typically used to treat blastic plasmacytoid dendritic cell neoplasm.
19209		An infusion of pembrolizumab given over minutes/hours used to treat certain types
J9271	Keytruda	of cancer.
	.,	

		An injection of dostarlimab-gxly. This drug is typically used to treat endometrial
J9272	Jemperli	cancer.
		An infusion of tisotumab vedotin-tftv given over minutes/hours. This drug is used to
J9273	Tivdak	treat cervical cancer.
		An infusion of tebentafusp-tebn given over minutes/hours. This drug is used to treat
J9274	Kimmtrak	unresectable or metastatic eye melanomas.
		Mitomycin pyelocalyceal, given by injection or drops. This drug is used to treat
J9281	Jelmyto	urothelial cancer.
J9286	Columvi	An infusion of glofitamab, a drug that is typically used to treat lymphoma.
10200	Onducios	An infusion of nivolumab and relatlimab, given over minutes/hours, typically used to
J9298	Opdualag	treat cancer.
J9299	Opdivo	An infusion of nivolumab given over minutes/hours, typically used to treat cancer.
19299	Opulio	An infusion of pertuzumability given over minutes/hours typically used to treat breast
J9306	Perjeta	cancer.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		An infusion of polatuzumab vedotin-piiq given over minutes/hours, generally used
J9309	Polivy	to treat lymphomas.
		An injection of rituximab and hyaluronidase. These drugs are typically used to treat
J9311	Rituxan Hycela	a variety of conditions.
	-	An infusion of rituximab given over minutes/hours, used to treat autoimmune
J9312	Rituxan	disorders and cancer.
		An infusion of pertuzumab in combination with trastuzumab and hyaluronidase-
J9316	Phesgo	zzxf. This drug is typically used to treat breast cancer.
		An infusion of sacituzumab govitecan-hziy given over minutes/hours, typically used
J9317	Trodelvy	to treat certain types of cancer.
		An infusion of romidepsin given over minutes/hours typically used to treat T-cell
J9318	Romidepsin	lymphoma and similar cancers.
		An infusion of romidepsin given over minutes/hours typically used to treat T-cell
J9319	lstodax, romidepsin	lymphoma and similar cancers.
J9321	Epkinly	An injection of epcoritamab, used to treat large B-cell lymphoma.
		An injection of talimogene laherparepvec. This is a viral therapy used to treat skin
J9325	Imlygic	cancer.
10221	Everre	An infusion of sirolimus given over minutes/hours. This drug typically is given to
J9331	Fyarro	prevent the immune system from rejecting an organ transplant. An infusion of efgartigimod given over minutes/hours. This drug is used to treat
J9332	Magart	generalized myasthenia gravis, a chronic autoimmune, neuromuscular disease.
19332	Vyvgart	An injection of rozanolixizumab-noli, a drug that is used to treat a nerve and muscle
J9333	RYSTIGGO	problem called generalized myasthenia gravis.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		An injection of efgartigimod used to treat generalized myasthenia gravis, a chronic
J9334	Vyvgart	autoimmune, neuromuscular disease.
		An infusion of Retifanlimab given over minutes or hours. This drug is used to treat
J9345	Zynyz	Merkel cell carcinoma.
		An infusion given over minutes/hours or injection of tremelimumab. This drug
J9347	Imjudo	typically is used to treat liver or lung cancer.
J9348	Danyelza	An infusion of naxitamab-gqgk given over minutes/hours used to treat brain cancer.
		An infusion of tafasitamab-cxix given over minutes/hours used in combination with
		lenalidomide to treat adults with relapsed or refractory diffuse large B-cell
J9349	Monjuvi	lymphoma.
		An infusion given over minutes/hours or injection of mosunetuzumab. This drug is
J9350	Lunsumio	generally used to treat lymphoma.
10050	Marzanza	An infusion of margetuximab-cmkb given over minutes/hours typically used to treat
J9353	Margenza	metastatic HER2-positive breast cancer.
10254	Kadavla	An infusion of ado-trastuzumab emtansine given over minutes/hours, typically used
J9354	Kadcyla	to treat breast cancer.
J9355	Herceptin	An infusion of trastuzumab given over minutes/hours used to treat certain cancers.
10000	Herooptin	או ווועסוסו סו משנעבעוועט קויטו סיטו ווווענטאוטעוס עסכע נט נובמג נכוגמוו למווכרז.

		An injection of trastuzumab, a chemotherapy drug used primarily in the treatment of
J9356	Herceptin Hylecta	certain types of cancer.
		An infusion of fam-trastuzumab deruxtecan-nxki given over minutes/hours, used to
J9358	Enhertu	treat certain types of cancer.
		An infusion of loncastuximab tesirine-lpy given over minutes/hours. This drug is
J9359	Zynlonta	typically used to treat large B-cell lymphoma.
J9361	Ryzneuta	Injection, efbemalenograstim alfa-vuxw, 0.5 mg
J9376	Veopoz	Injection, pozelimab-bbfg, 1 mg
		Injection of teclistamab-cqyv, typically used for relapsed or refractory multiple
J9380	Tecvayli	myeloma.
		An infusion given over minutes/hours or injection of teplizumab. This drug is used to
J9381	Tzield	delay the onset of symptomatic (stage 3) type 1 diabetes.
10.400	7 - 14	An infusion of ziv-aflibercept given over minutes/hours, typically used to treat
J9400	Zaltrap	colorectal cancer.
19999	Amtagvi	lifileucel
Q0139	Feraheme	An infusion of ferumoxytol given over minutes/hours, used in the treatment of iron deficiency anemia (not enough red blood cells).
Q0139	Ferditerite	An infusion of axicabtagene ciloleucel. This drug is given through an IV and is used
Q2041	Yescarta	to treat patients with relapsed or refractory large B-cell lymphoma.
Q2041 Q2042	Kymriah	tisagenlecleucel
Q2012	- Cyrrian	An infusion of sipuleucel-T. This drug is an immune therapy for treating prostate
		cancer that is mixed with a person's own blood cells. It is commonly referred to as a
Q2043	Provenge	cancer vaccine because it spurs the immune system to act.
-		Brexucabtagene autoleucel/CAR T-cell typically given IV for the treatment for
Q2053	Tecartus	mantle cell lymphoma (MCL).
		Brexucabtagene autoleucel/CAR T-cell typically given IV for the treatment for
Q2053	Ventavis	mantle cell lymphoma (MCL).
Q2054	Breyanzi	lisocabtagene maraleucel
		Modified and selected immune cells (white blood cells) used in the treatment of
Q2054	Zarxio	lymphoma.
Q2055	Abecma	idecabtagene vicleucel
Q2055	Inflectra	Injection of T-cells, given to treat multiple myeloma.
Q2056	Carvykti	ciltacabtagene autoleucel
00007		An injection of interferon beta-1a. This drug is typically used to treat multiple
Q3027	Avonex	sclerosis (MS).
04074	Ventavis	A dose of iloprost inhalation. This drug is used in the treatment of high blood
Q4074	Ventavis	pressure affecting the lung artery (pulmonary arterial hypertension). An injection of epoetin alfa. This drug is most often used to treat anemia, by
Q4081	Epogen, Procrit	stimulating the production of red blood cells.
Q4001	Lpogen, i locht	Material used in place of natural skin to cover and protect a wound and promote
		healing. There are many products available depending on the location and
Q4100	Mvasi	thickness required.
		Wound covering made of amniotic tissue, used to cover and protect wounds or
Q4284	DermaBind SL	injured tissue.
		An infusion given over minutes/hours or an injection of filgrastim-sndz (G-CSF),
Q5101	Zarxio	given to increase the production of white blood cells, improving immune function.
		An infusion of infliximab given over minutes/hours. This drug is typically used to
		treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel
Q5103	Inflectra	disease.
		An infusion of infliximab given over minutes/hours. This drug is typically used to
		treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel
Q5104	Renflexis	disease.
0.5.4		An injection of epoetin alfa. This drug is most often used to treat anemia, by
Q5106	Retacrit	stimulating the production of red blood cells.
05107	Muaci	An infusion given over minutes/hours or an injection of bevacizumab. This drug is
Q5107	Mvasi	generally used to treat various types of cancer.

		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5108	Fulphila	cancer treatments by stimulating the production of white blood cells.
		An infusion given over minutes/hours or an injection of infliximab-qbtx. This drug is
Q5109	lxifi	generally used to treat various types of cancer.
		An infusion given over minutes/hours or an injection of filgrastim-aafi. This drug is
Q5110	Nivestym	generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5111	Udenyca	cancer treatments by stimulating the production of white blood cells.
		An infusion of trastuzumab-dttb given over minutes/hours. A chemotherapy drug
Q5112	Ontruzant	used primarily in the treatment of certain types of cancer.
		An infusion of trastuzumab-pkrb given over minutes/hours. A chemotherapy drug
Q5113	Herzuma	used primarily in the treatment of certain types of cancer.
		An infusion of trastuzumab-dkst given over minutes/hours. A chemotherapy drug
Q5114	Ogivri	used primarily in the treatment of certain types of cancer.
		An infusion of rituximab-abbs given over minutes/hours. A chemotherapy drug used
Q5115	Truxima	to treat rheumatoid arthritis and certain types of cancer.
		An infusion of trastuzumab-anns given over minutes/hours. A chemotherapy drug
Q5117	Kanjinti	used primarily in the treatment of certain types of cancer.
		An infusion given over minutes/hours or an injection of bevacizumab. This drug is
Q5118	Zirabev	generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5120	Ziextenzo	cancer treatments by stimulating the production of white blood cells.
		An infusion given over minutes/hours or an injection of infliximab . This drug is
		typically used to treat autoimmune disorders including rheumatoid arthritis and
Q5121	Avsola	inflammatory bowel disease.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5122	Nyvepria	cancer treatments by stimulating the production of white blood cells.
		An infusion of rituximab-arrx given over minutes/hours. A chemotherapy drug used
Q5123	Riabni	to treat rheumatoid arthritis and certain types of cancer.
		An infusion given over minutes/hours or injection of filgrastim-ayow. This drug is
Q5125	Releuko	given to increase the production of white blood cells, improving immune function.
		An infusion given over minutes/hours or an injection of bevacizumab. This drug is
Q5126	Alymsys	generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5127	stimufend	cancer treatments by stimulating the production of white blood cells.
		An injection of ranibizumab. This drug is used to treat macular degeneration caused
Q5128	cimerli	by excessive blood vessel growth in the eye.
		An infusion given over minutes/hours or an injection of bevacizumab. This drug is
Q5129	vegzelma	generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections during
Q5130	fylnetra	cancer treatments by stimulating the production of white blood cells.
Q5133	Tofidence	Injection, tocilizumab-bavi (tofidence), biosimilar, 1 mg
Q5134	Tyruko	Injection, natalizumab-sztn (tyruko), biosimilar, 1 mg
Q5138	Wezlana	Injection, ustekinumab-auub (wezlana), biosimilar, intravenous, 1 mg
		An injection of pegylated interferon alfa-2a. This drug is used in the treatment of
S0145	Pegasys	chronic hepatitis.