CODE	DRUG TRADE NAME	CONSUMER DESCRIPTION
	Hizantra Cuwitru Gammagard Gamma	Human immune globulin is derived from blood products and is typically given
90284	ked, Gamunex-C, Cutaquig, Xembify	as a shot, through an IV or under the skin with fluids.
90204	keu,Gamunex-C,Cutaquig,Aembiry	Respiratory syncytial virus (RSV) immune globulin. RSV is an infection that
90378	Cunadia	causes colds, coughs and sometimes pneumonia in children and infants.
90376	Synagis	
C0047	Cablivi	An injection of caplacizumab. This drug is typically used to treat thrombotic thrombocytopenic purpura and thrombosis.
C9047		
C9163	Talvey	Injection, talquetamab-tgvs, 0.25 mg
00404	Vacatle	Cantharidin for topical administration, 0.7%, single unit dose applicator
C9164	Ycanth	(3.2mg)
C9165	Elrexfio	Injection, elranatamab-bcmm, 1 mg
C9168	Omvoh	Injection, mirikizumab-mrkz, 1 mg
C9399	Amtagvi	lifileucel
C9399	Beqvez	fidanacogene elaparvovec-dzkt
C9399	Casgevy	exagamglogene autotemcel
C9399	Elevidys	delandistrogene moxeparvovec-rokl
C9399	Empaveli	pegcetacoplan
C9399	Enspryng	satralizumab-mwge
C9399	Lamzede	velmanase alfa-tycv
C9399	Lantidra	donislecel-jujn
C9399	Lenmeldy	atidarsagene autotemcel
C9399	Lyfgenia	lovotibeglogene autotemcel
C9399	Lytgobi	futibatinib
C9399	Nulibry	fosdenopterin
C9399	Omisirge	omidubicel-onlv
C9399	Rethymic	allogeneic processed thymus tissue–agdc
C9399	Roctavian	valoctocogene roxaparvovec
C9399	Skysona	Elivaldogene autotemcel
C9399	Tegsedi	inotersen
C9399	Zynteglo	betibeglogene autotemcel
		An infusion given over minutes/hours or injection of abatacept. This drug is a
J0129	Orencia	manufactured protein typically given for treatment of arthritis.
		An injection of aducanumab-avwa, a medication used to treat Alzheimer's
J0172	Aduhelm	disease.
		An injection of lecanemab. This drug is generally used to treat Alzheimer's
J0174	Leqembi	disease.
J0175	Kisunla	Injection, donanemab-azbt, 2 mg
		An infusion of agalsidase beta given over minutes/hours. This drug is most
J0180	Fabrazyme	often used to treat an enzyme deficiency in Fabry disease.
		An infusion given over minutes/hours or injection of alemtuzumab. This drug
J0202	Lemtrada	is typically used to treat leukemia or multiple sclerosis.
		An infusion given over minutes or hours of velmanase alfa-tycv, used to help
J0217	Lamzede	the body break down complex sugars in some rare genetic conditions.
		An infusion of olipudase alfa, given over minutes/hours, used to treat acid
J0218	Xenpozyme	sphingomyelinase deficiency (ASMD).
- 0 - 1 - 0	<u>.</u> • 2 ,•	An infusion of avalglucosidase given over minutes/hours, used to treat
J0219	Nexviazyme	Pompe disease.
70210	HOAVIGE	. ompo allocato.

10004		An infusion of alglucosidase alfa given over minutes/hours. This drug is
J0221	Lumizyme	typically used to treat an enzyme deficiency in Pompe disease.
J0222	Onpattro	patisiran
J0223	Givlaari	givosiran
		An injection of lumasiran. This drug is used to treat primary hyperoxaluria
J0224	Oxlumo	type 1, which causes kidney stones and loss of kidney function.
J0225	Amvuttra	vutrisiran
		An infusion of alpha 1-proteinase inhibitor given over minutes/hours. This
J0256	Aralast,Prolastin,Zemaira	drug typically is given to treat lung problems related to an enzyme deficiency.
		An infusion of alpha 1-proteinase inhibitor given over minutes/hours. This
J0257	Glassia	drug typically is given to treat lung problems related to an enzyme deficiency.
		An infusion given over minutes/hours or injection of belimumab. This drug
J0490	Benlysta	typically is given for treatment of lupus.
		An infusion of anifrolumab-fnia given over minutes/hours, used to treat
J0491	Saphnelo	moderate to severe systemic lupus erythematosus (SLE).
J0517	Fasenra	An injection of benralizumab. This drug is typically used to treat asthma.
		An infusion given over minutes/hours or an injection of bezlotoxumab. This
J0565	Zinplava	drug is generally used to treat various types of cancer.
		An infusion of cerliponase alfa given over minutes/hours. This drug is typically
J0567	Brineura	used as an enzyme replacement treatment for Batten disease.
		An injection of burosumab-twza. This drug is used to treat X-linked
		hypophosphatemia (XLH), a disease where the body doesn't retain enough
J0584	Crysvita	phosphorus.
		An injection of deoxycholic acid. This drug is typically used to destroy fat
J0591	Kybella	cells where it is injected into the body.
		An injection of lanadelumab-flyo. This drug is generally used to prevent
		attacks of hereditary angioedema (HAE), which is caused by low level or
J0593	Takhzyro	improper function of a protein called the C1 inhibitor.
		An injection of C1 esterase inhibitor. This drug typically is given for
		angioedema, a hereditary condition that causes the tissues to swell in a type
J0596	Ruconest	of allergic reaction.
		An infusion of C1 esterase inhibitor given over minutes/hours. This drug
		typically is given for angioedema, a hereditary condition that causes the
J0597	Berinert	tissues to swell in a type of allergic reaction.
		An infusion of C1 esterase inhibitor given over minutes/hours. This drug
		typically is given for angioedema, a hereditary condition that causes the
J0598	Cinryze	tissues to swell in a type of allergic reaction.
		An injection of C1 esterase inhibitor (human), used to prevent hereditary
J0599	Haegarda	angioedema (HAE) attacks.
		An infusion given over minutes/hours or injection of edetate calcium
J0600	CalciumDisodiumVersenate	disodium. This drug typically is used to treat lead poisoning.
		An injection of etelcalcetide, which is generally used to treat secondary
		hyperparathyroidism in patients with chronic kidney disease or who are
J0606	Parsabiv	undergoing hemodialysis.
		An injection of canakinumab. This drug is used to treat autoimmune
J0638	Ilaris	inflammatory conditions.

		An injection of chariania ganadatronia. This drug is tunically used to course
		An injection of chorionic gonadotropin. This drug is typically used to cause ovulation in women, to increase sperm count in men, and to treat certain
J0725	Pregnyl	pituitary disorders.
J0723	Apretude	An injection of cabotegravir, used to treat HIV infection.
10739	Apretude	An injection of collagenase clostridium histolyticum. This drug is typically
J0775	Xiaflex	used to treat deformative connective tissue disorders.
30770	Author	An infusion of crizanlizumab-tmca given over minutes/hours. This drug is
		typically used to prevent vaso-occlusive crisis in patients with sickle cell
J0791	Adakveo	anemia.
70.02	7.00.000	An injection of corticotropin. This is a man-made form of a hormone that
		naturally is produced by the pituitary gland. It is used to treat a variety of
J0801	Acthargel,corticotropingel	disorders.
70001	, icananges, est aleett op moet	An injection of corticotropin. This is a man-made form of a hormone that
		naturally is produced by the pituitary gland. It is used to treat a variety of
J0802	Cortrophin	disorders.
		An injection of difelikefalin. This drug is typically used to treat itchy skin
J0879	Korsuva	related to patient on hemodialysis.
		Daprodustat, given by mouth. This drug is used to treat anemia due to
J0889	Jesduvroq	chronic kidney disease.
		An infusion given over minutes/hours or injection of deferoxamine mesylate.
J0895	Desferal, deferoxaminemes y late	This drug is generally used to treat an excess of iron in the blood.
	•	An injection of luspatercept-aamt, a drug used to treat anemia in patients
J0896	Reblozyl	with beta thalassemia.
		An injection of testosterone cypionate. This drug is typically used to treat low
J1071	Depo-Testosterone	testosterone in men.
J1203	Pombility	Injection, cipaglucosidase alfa-atga, 5 mg
		An injection of ecallantide. This drug is most often used to treat a condition
		called hereditary angioedema, where swelling occurs in the deep layers of
J1290	Kalbitor	the skin.
		An infusion of eculizumab given over minutes/hours. This drug is generally
J1300	Soliris	used to treat the destruction of red blood cells in certain blood disorders.
		An infusion of edaravone given over minutes/hours. This drug is given to help
J1301	Radicava	treat amyotrophic lateral sclerosis (ALS).
		An infusion of sutimlimab-jome given over minutes/hours. This drug is used
J1302	Enjaymo	to treat patients with a rare autoimmune disease.
		An infusion of ravulizumab given over minutes/hours. This antibody is
		designed to treat paroxysmal nocturnal hemoglobinuria and atypical
J1303	Ultomiris	hemolytic uremic syndrome.
		An injection of tofersen. This drug is typically used to treat Lou Gehrig's
J1304	Qalsody	disease (ALS).
		An infusion of evinacumab-dgnb given over minutes/hours. This drug is used
J1305	Evkeeza	to treat homozygous familial hypercholesterolemia.
		An injection of inclisiran. This drug is generally used to treat cardiovascular
J1306	Leqvio	disease.
		An infusion of elosulfase alfa given over minutes/hours. This drug is typically
		given as an enzyme replacement therapy to treat people who have Morquio A
J1322	Vimizim	syndrome.
J1323	Elrexfio	Injection, elranatamab-bcmm, 1 mg

J1324	Fuzeon	An injection of enfuvirtide. This drug is used to treat the HIV virus.
		An infusion of epoprostenol given over minutes/hours. This medication is
J1325	Flolan,Veletri,epoprostenol	most often used to lower the blood pressure in the arteries of the lungs.
		An infusion of etranacogene dezaparvovec-drlb (Hemgenix) given over
J1411	Hemgenix	minutes/hours. This is a gene therapy used to treat hemophilia B.
		An infusion of valoctocogene roxaparvovec-rvox given over minutes or hours,
J1412	Roctavian	used to treat hemophilia A.
		An infusion of delandistrogene moxeparvovec-rokl given over minutes or
		hours. This gene therapy is used to treat children aged 4-5 who have
J1413	Elevidys	Duchenne muscular dystrophy.
		An infusion of casimersen given over minutes/hours. This drug is used for the
J1426	Amondys45	treatment of Duchenne muscular dystrophy.
		Infusion of viltolarsen given over minutes/hours. This drug is generally used
J1427	Viltepso	to treat Duchenne muscular dystrophy.
		Infusion of eteplirsen given over minutes/hours. This drug is used to treat
J1428	Exondys51	Duchenne muscular dystrophy (DMD).
		An infusion of golodirsen given over minutes/hours. This drug is typically used
J1429	Vyondys53	to treat Duchenne muscular dystrophy.
		Healthy stool bacteria from a donor is prepared and may be transplanted.
		This procedure treats a variety of conditions including irritable bowel
J1440	Rebyota	syndrome, constipation and colitis.
		An infusion given over minutes/hours or injection of filgrastim (G-CSF). This
		drug is given to increase the production of white blood cells, improving
J1442	Neupogen	immune function.
		An injection of TBO-filgrastim (G-CSF). This drug is given to increase the
J1447	Granix	production of white blood cells, improving immune function.
		An infusion of trilaciclib given over minutes/hours. This drug is used to
J1448	Cosela	preserve bone marrow and immune system function during chemotherapy.
		An injection of eflapegrastim-xnst (Rolvedon), given to decrease the chance
J1449	Rolvedon	of infection in patients receiving myelosuppressive anti-cancer drugs.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1459	Privigen	systems.
		An injection of immune globulin. Immune globulins are used to provide
J1460	Gamastan	antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1551	Cutaquig	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1554	Asceniv	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1555	Cuvitru	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1556	Bivigam	systems.

		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1557	Gammaplex	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1558	Xembify	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1559	Hizentra	systems.
		An injection of immune globulin. Immune globulins are used to provide
J1560	Gamastan	antibodies to patients with compromised immune systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1561	Gammaked,Gamunex-C	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1562	Vivaglobin	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1566	GammagardS/d	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1568	Octagam	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1569	Gammagard	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1572	FlebogammaDif	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1575	Hyqvia	systems.
		An infusion of immune globulin given over minutes/hours. Immune globulins
		are used to provide antibodies to patients with compromised immune
J1599	Panzyga	systems.
		An infusion given over minutes/hours or injection of golimumab. This drug is
J1602	SimponiAria	typically given to treat auto-immune disorders including rheumatoid arthritis.
		An infusion of brexanolone given over minutes/hours. This drug is generally
J1632	Zulresso	used to treat postpartum depression.
		An injection of hydroxyprogesterone. This drug is given for several reasons,
		including the treatment of advanced cancer of the uterus, and helping
J1726	makena	women who have missed periods or abnormal periods.
		An infusion of idursulfase give over minutes/hours. This drug is typically used
		to improve walking and stair-climbing ability in patients who lack a certain
J1743	Elaprase	enzyme.
		An infusion of infliximab given over minutes/hours. This drug is typically used
		to treat autoimmune disorders including rheumatoid arthritis and
J1745	Infliximab,Remicade	inflammatory bowel disease.
	, , , , , , , , , , , , , , , , , , , ,	,

14747	Charier	An infusion of spesolimab-sbzo given over minutes/hours. This drug is used
J1747	Spevigo	to treat generalized pustular psoriasis (GPP), a long-term skin disease.
14700	0	An infusion of imiglucerase given over minutes/hours. This drug is used to
J1786	Cerezyme	treat Gaucher's disease.
		An infusion of inebilizumab-cdon given over minutes/hours. This drug is used
		to treat neuromyelitis optic spectrum disorder (NMOSD) in patients who are
J1823	Uplizna	anti-aquaporin-4 (AQP4) antibody positive.
		An injection of lanreotide. This drug is used in the treatment of acromegaly,
J1930	SomatulineDepot	an over-production of growth hormone.
		An infusion of laronidase given over minutes/hours. This drug is used to treat
J1931	Aldurazyme	a certain type of enzyme deficiency.
J2182	Nucala	An injection of mepolizumab. This drug is usually given for asthma.
J2267	Omvoh	Injection, mirikizumab-mrkz, 1 mg
J2277	Aphexda	Injection, motixafortide, 0.25 mg
		An infusion of natalizumab given over minutes/hours. This drug is used to
J2323	Tysabri	treat Crohn's disease or multiple sclerosis.
		An injection of nusinersen. This drug is typically given to treat spinal
J2326	Spinraza	muscular atrophy.
		An infusion given over minutes/hours or an injection of risankizumab, used to
J2327	Skyrizi	treat plaque psoriasis, psoriatic arthritis and Crohn's disease.
		An infusion of ublituximab given over minutes/hours. This drug is used to
J2329	Briumvi	treat multiple sclerosis.
		An infusion of ocrelizumab given over minutes/hours. This drug is used to
J2350	Ocrevus	treat multiple sclerosis.
		An injection of octreotide. This drug is used to treat diarrhea associated with
J2353	SandostatinLarDepot	certain tumors, and acromegaly.
		An infusion given over minutes/hours or an injection of octreotide, used to
J2354	Sandostatin,octreotide	treat diarrhea associated with certain tumors and acromegaly.
	·	An injection of omalizumab. This drug is used to treat asthma that does not
J2357	Xolair	respond to inhaled steroids.
		An injection of pegfilgrastim. This drug is used to help prevent infections
J2506	Neulasta	during cancer treatments by stimulating the production of white blood cells.
,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	An infusion of pegloticase given over minutes/hours. This drug is typcally
J2507	Krystexxa	used to treat difficult cases of chronic gout.
32007	Пузили	An infusion of pegunigalsidase alfa-iwxj, a drug that is typically used to treat
J2508	ELFABRIO	Fabry disease.
12300	ELIABRIO	An injection of plerixafor. This drug is used most often as part of a stem cell
10560	Mozobil	
J2562	MOZODIL	transplant plan.
		Placement of an eye implant that releases ranibizumab. This drug is used to
10770	Cupying	treat macular degeneration caused by excessive blood vessel growth in the
J2779	Susvimo	eye.
10700	Observation	An infusion of reslizumab given over minutes/hours, used to treat severe
J2786	Cinqair	asthma.
		An injection of rilonacept. This drug is typically used in the treatment of
J2793	Arcalyst	inherited auto-inflammatory diseases.
		An injection of romiplostim. This drug stimulates the bone marrow to
J2796	Nplate	produce platelets.

J3032	Vyepti	An infusion of eptinezumab-jjmr given over minutes/hours, typically used to prevent migraine headaches.
J3055	Talvey	Injection, talquetamab-tgvs, 0.25 mg
	•	
J3110	Forteo	An injection of teriparatide. This drug is typically used to treat osteoporosis.
		An injection of romosozumab. This drug is generally used to treat
J3111	Evenity	osteoporosis.
		An injection of testosterone. This is used to supplement natural testosterone
J3121	Delatestryl	in men with low testosterone production.
		An infusion of teprotumumab-trbw given over minutes/hours, typically used
J3241	Tepezza	to treat thyroid eye disease.
		An injection of tildrakizumab. This drug is used to treat sever plaque
J3245	Ilumya	psoriasis (scaly, itchy dry patches on skin).
J3247	Cosentyx	Injection, secukinumab, intravenous, 1 mg
		An infusion given over minutes/hours or an injection of tocilizumab, typically
J3262	Actemra	used to treat a variety of autoimmune disorders.
J3263	Loqtorzi	Injection, toripalimab-tpzi, 1 mg
		An infusion of treprostinil given over minutes/hours, used to treat high blood
J3285	Remodulin, treprostinil	pressure in the blood vessels of the lungs.
J3316	Triptodur	An injection of triptorelin, generally given to treat prostate cancer.
10050	Obstans	An injection of ustekinumab. This drug is used to treat auto-immune
J3358	Stelara	conditions including plaque psoriasis and psoriatic arthritis.
10000	Entrado	An infusion of vedolizumab given over minutes/hours, generally used to treat
J3380	Entyvio	ulcerative colitis and Crohn's disease.
IOOOE	Voris	An infusion of velaglucerase alfa given over minutes/hours, typically used to
J3385	Vpriv	treat Gaucher's disease, a genetic enzyme deficiency.
J3393 J3394	Zynteglo Lyfgenia	betibeglogene autotemcel lovotibeglogene autotemcel
13394	Lyigeilla	An infusion of vestronidase alfa-vjbk given over minutes/hours, typically used
J3397	Mepsevii	to treat Sly syndrome.
10007	Перзечіі	An injection of voretigene neparvovec-rzyl. This gene therapy is used to treat
J3398	Luxturna	congenital blindness.
70000	Editatiid	conformation and an arrangement of the conformation and arrangement of the conformation arrangement of the conformation and arrangement of the conformation arrang
		An infusion of onasemnogene abeparvovec-xioi given over minutes/hours, a
J3399	Zolgensma	gene therapy medication used to treat spinal muscular atrophy.
7000		Beremagene geperpavec-svdt, a gene therapy solution applied to the skin to
		treat dystrophic epidermolysis bullosa, which causes blistering in the middle
J3401	VYJUVEK	layer of skin.
J3490	Casgevy	exagamglogene autotemcel
J3490	Elevidys	delandistrogene moxeparvovec-rokl
J3490	Lyfgenia	lovotibeglogene autotemcel
J3490	Nulibry	fosdenopterin
J3490	Omisirge	Omidubicel Omidubicel
J3490	Prevymis	letermovir (injectable)
		An injection of edetate disodium (EDTA). This drug typically is used to treat
J3520	Edetatedisodium	poisoning by lead or other heavy metals.
J3590	Beqvez	fidanacogene elaparvovec-dzkt
J3590	Casgevy	exagamglogene autotemcel
J3590	Elevidys	delandistrogene moxeparvovec-rokl

J3590	ELFABRIO	pegunigalsidase alfa-iwxj
J3590	Lamzede	velmanase alfa-tycv
J3590	Lantidra	donislecel-jujn
J3590	Lenmeldy	atidarsagene autotemcel
J3590	Lyfgenia	lovotibeglogene autotemcel
J3590	Omisirge	omidubicel-only
J3590	Rethymic	allogeneic processed thymus tissue–agdc
J3590	Roctavian	valoctocogene roxaparvovec
J3590	Rystiggio	rozanolixizumab-noli
J3590	Skysona	Elivaldogene autotemcel
J3590	VYJUVEK	beremagene geperpavec-svdt (topical)
J3590	Vyvgart Hytrulo	efgartigimod alfa and hyaluronidase-qvfc
J3590	Zynteglo	betibeglogene autotemcel
J7168	Kcentra	Human blood plasma concentrate (Kcentra) given to stop acute bleeding.
		An infusion given over minutes/hours or injection of coagulation factor Xa,
J7169	Andexxa	used to reverse anticoagulation.
		An infusion given over minutes/hours or injection of coagulation factor Xa,
J7170	Hemlibra	used to reverse anticoagulation.
J7171	Adzynma	Injection, adamts13, recombinant-krhn, 10 iu
	·	An infusion of Factor X given over minutes/hours, used as a blood clotting
J7175	Coagadex	protein.
		An infusion of fibrinogen given over minutes/hours, used as a blood protein
J7177	Fibryga	for blood clotting.
		An infusion of fibrinogen given over minutes/hours, used as a blood protein
J7178	Riastap	for blood clotting.
		An infusion of von Willebrand factor (recombinant) given over minutes/hours
J7179	Vonvendi	used for treatment of hemophilia and other blood clotting problems.
		An infusion of Factor XIII Concentrate (human) given over minutes/hours
J7180	Corifact	used to promote blood clotting in patients lacking the protein naturally.
		An infusion of Factor XIII A-subunit (recombinant) given over minutes/hours
J7181	Tretten	used to promote clotting in patients lacking the protein naturally.
		An injection of Factor VIII. Factor VIII formulations are used to treat bleeding
J7182	Novoeight	conditions, including hemophilia.
		An infusion of von Willebrand factor complex (human) given over
J7183	Wilate	minutes/hours used for hemophilia and other blood clotting problems.
		An infusion of Factor VIII given over minutes/hours, used to treat bleeding
J7185	Xyntha,XynthaSolofuse	conditions, including hemophilia.
		An infusion of antihemophilic Factor VIII/von Willebrand factor complex given
		over minutes/hours, used for treatment of hemophilia and other blood
J7186	Alphanate	clotting problems.
		An infusion of von Willebrand factor complex given over minutes/hours, used
J7187	Humate-p	for treatment of hemophlia and other blood clotting problems.
		An infusion of Factor VIII (antihemophilic factor, recombinant) given over
J7188	Obizur	minutes/hours, used to treat bleeding conditions, including hemophilia.
		An injection of Factor VIIa for blood clotting. Factor VIIa formulations are
J7189	NovosevenRt	used to treat bleeding conditions, including hemophilia .

Llaws CIM I/a sha Marra alaha	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding
	conditions, including hemophilia.
_	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding
e	conditions, including hemophilia.
	An injection of Factor IX for blood clotting. Factor IX formulations are used to
AlphanineSd,Mononine	treat bleeding conditions, including hemophilia.
	An injection of Factor IX for blood clotting. Factor IX formulations are used to
Profilnine	treat bleeding conditions, including hemophilia .
	An infusion of Factor IX (antihemophilic factor, recombinant) given over
Benefix, Ixinity	minutes/hours, used to treat bleeding conditions, including hemophilia.
	An injection of antithrombin. This drug is typically given to treat blood clotting
Thrombatelii	problems in patients lacking a normal protein.
	An injection of anti-inhibitor complex. This drug typically is given to promote
Feiba,FeibaNf	normal blood clotting.
	An injection of hemophilia clotting factor. This drug typically is given to
	promote normal blood clotting.
	An infusion of Factor IX (antihemophilic factor, recombinant) given over
Rixubis	minutes/hours, used to treat bleeding conditions, including hemophilia.
· · · · · · · · · · · · · · · · · · ·	An infusion of Factor IX given over minutes/hours, used to treat bleeding
Alproliv	conditions, including hemophilia.
Αιβιούλ	An infusion of Factor IX given over minutes/hours, used to treat bleeding
Idelvion	conditions, including hemophilia.
idetvion	
Dobinum	An infusion of Factor IX given over minutes/hours, used to treat bleeding
Rebinyii	conditions, including hemophilia.
_	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding
Esperoct	conditions, including hemophilia.
_	An infusion of Factor VIII given over minutes/hours, used to treat bleeding
Eloctate	conditions, including hemophilia.
	An infusion given over minutes/hours or an injection of Factor VIII, used to
Adynovate	treat bleeding conditions, includings hemophilia.
	An infusion given over minutes/hours or an injection of Factor VIII, used to
Jivi	treat bleeding conditions, includings hemophilia.
	An infusion given over minutes/hours or an injection of Factor VIII, used to
Nuwiq	treat bleeding conditions, includings hemophilia.
	An infusion of Factor VIII given over minutes/hours, used to treat bleeding
Afstyla	conditions, including hemophilia.
	An infusion of Factor VIII given over minutes/hours, used to treat bleeding
Kovaltry	conditions, including hemophilia.
-	An injection of Factor VIIa for blood clotting. Factor VIIa formulations are
Sevenfact	used to treat bleeding conditions, including hemophilia .
	An infusion given over minutes/hours or injection of coagulation factor IX,
	which helps the blood to form clots to stop bleeding and is used to treat
lxinity	hemophilia B.
· · · · · · · · · · · · · · · · · · ·	An infusion of Factor VIII given over minutes/hours, used to treat bleeding
Altuvijo	conditions, including hemophilia.
AttuviiU	
	An injection of sodium hyaluronate. This medication typically is used to
Divisions	lubricate a joint, to treat arthritis pain that does not respond to more typical
Durotane	treatments.
	e AlphanineSd,Mononine Profilnine Benefix,Ixinity Thrombatelii Feiba,FeibaNf Hemophiliaclotfactor,nototherwiseclassifi Rixubis Alprolix Idelvion Rebinyn Esperoct Eloctate Adynovate Jivi Nuwiq

		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7320	Genvisc850	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7321	Hyalgan,SupartzFx,Visco-3	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7322	Hymovis	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7323	Euflexxa	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7324	Orthovisc	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7325	Synvisc, Synvisc One	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7326	Gel-one	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7327	Monovisc	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7328	Gelsyn-3	treatments.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7329	Trivisc	treatments.
J7330	MACI	Cartilage implant, generally done to repair defective cartilage in the knee.
J7331	Sodium Hyaluronate, Synojoynt	An injection of hyaluronan, generally given to treat severe arthritic pain.
J7331	SodiumHyaluronate,Synojoynt	An injection of hyaluronan, generally given to treat severe arthritic pain.
		An injection of sodium hyaluronate. This medication typically is used to
		lubricate a joint, to treat arthritis pain that does not respond to more typical
J7332	Triluron	treatments.
		An injection of bimatoprost. This medication is typically used to reduce
J7351	Durysta	pressure inside the eye.
		Afamelanotide in a controlled-release implant. This drug is used to increase
		pain free light exposure in patients with a history of phototoxic reactions from
J7352	Scenesse	erythropoietic protoporphyria.
		Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2
J7354	Ycanth	mg)
J7355	iDose TR	Injection, travoprost, intracameral implant, 1 microgram
		An implant of mometasone furoate. This drug is a steroid typically given to
J7402	Sinuva	treat recurrent nasal polyps.
		An injection of azathioprine. This drug typically is given to prevent the
		immune system from rejecting an organ transplant, or to treat rheumatoid
J7501	Azathioprine	arthritis.

		An inhalad daga of transactinil. This drug tunically is given to improve eversion
J7686	Tyvaso(Refill,Starter)	An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs.
J8999		futibatinib
16999	Lytgobi	
J9021	Pulazo	An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.
19021	Rylaze	
J9023	Bavencio	An infusion of avelumab given over minutes/hours used to treat variety of
19023	Davelicio	cancers. An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used
J9029	Adstiladrin	to treat bladder cancer.
19029	Austitauriii	An infusion given over minutes/hours or an injection of bevacizumab. This
J9035	Avastin	
19035	Avastiii	drug is generally used to treat various types of cancer.
10027	Planton	An infusion given over minutes/hours or an injection of bevacizumab-awwb.
J9037	Blenrep	This drug is generally used to treat various types of cancer.
10000	Dlinguto	An infusion given over minutes/hours or an injection of bevacizumab-bvcr.
J9039	Blincyto	This drug is generally used to treat various types of cancer.
100.40	Adaatria	An infusion of brentuximab given over minutes/hours, used to treat
J9042	Adcetris	lymphoma.
10050	Missions	An infusion of bendamustine given over minutes/hours used to treat types of
J9056	Vivimusta	leukemia and lymphoma.
10057	Alternation	An infusion of copanlisib given over minutes/hours used to treat relapsed
J9057	Aliqopa	follicular lymphoma.
10050	Dan dansastina	An infusion of bendamustine given over minutes/hours used to treat types of
J9058	Bendamustine	leukemia and lymphoma.
10050	Dan dansastina	An infusion of bendamustine given over minutes/hours used to treat types of
J9059	Bendamustine	leukemia and lymphoma.
10004	Dubucus	An infusion of amivantamab-vmjw. This drug is typically used to treat non-
J9061	Rybrevant	small cell lung cancer.
		An infusion of mirvetuximab soravtansine-gynx given over minutes/hours.
10000	Flabour	This drug is used to treat peritoneal and ovarian cancer or cancer in the
J9063	Elahere	fallopian tubes.
10440	A	An infusion of calaspargase pegol-mknl given over minutes/hours generally
J9118	Asparlas	used to treat acute lymphoblastic leukemia.
10440	Librarya	An infusion of cemiplimab given over minutes/hours used to treat various
J9119	Libtayo	cancers including squamous cell skin cancer, myeloma, and lung cancer.
10450	Maria	An infusion of daunorubicin and cytarabine liposomal given over
J9153	Vyxeos	minutes/hours used to treat acute myeloid leukemia.
10470	loofin =	An infusion of durvalumab given over minutes/hours used to certain types of
J9173	Imfinzi	cancer like NSCLC and SCLC.
10477	Dadam	An infusion of enfortumab vedotin-ejfv given over minutes/hours used to treat
J9177	Padcev	advanced for metastatic urothelial cancer.
10000	Mulahaur	An infusion of gemtuzumab ozogamicin given over minutes/hours, a
J9203	Mylotarg	chemotherapy drug used to treat leukemia.
1000	Datallia	An infusion of mogamulizumab given over minutes/hours used to treat
J9204	Poteligeo	cancer in the blood.
10515	0 17	An infusion of emapalumab-lzg given over minutes/hours, used for the
J9210	Gamifant	treatment of hemophagocytic lymphohistiocytosis.

		An injection of leuprolide acetate, given by IV or through a pump. This drug is
10040	la umuali da	used in the treatment of prostate cancer, endometriosis, and precocious
J9218	leuprolide	puberty.
10000	Zanzalaa	An infusion of lurbinectedin given over minutes/hours, typically used to treat
J9223	Zepzelca	metastatic small cell metastic lung cancer.
10006	Cuparalial	An implanted dose of histrelin, a drug used in the treatment of central
J9226	SupprelinLa	precocious puberty.
J9227	Sarclisa	An infusion of isatuximab-irfc given over minutes/hours, typically used to treat multiple myeloma.
19227	Saicusa	An infusion of ipilumumab given over minutes/hours used to treat certain
J9228	Yervoy	types of cancers.
19220	Tervoy	An infusion of inotuzumab ozogamicin given over minutes/hours typically
J9229	Besponsa	used to treat leukemia.
13223	Безропза	An infusion of melphalan given over minutes/hours. This drug is used to treat
J9247	Pepaxto	multiple myeloma.
13247	ι εμάλιο	An infusion of tagraxofusp-erzs given over minutes/hours, typically used to
J9269	Elzonris	treat blastic plasmacytoid dendritic cell neoplasm.
19209	LIZOTITIS	An injection of dostarlimab-gxly. This drug is typically used to treat
J9272	Jemperli	endometrial cancer.
10272	Jemperu	An infusion of tisotumab vedotin-tftv given over minutes/hours. This drug is
J9273	Tivdak	used to treat cervical cancer.
10270	TIVUUN	An infusion of tebentafusp-tebn given over minutes/hours. This drug is used
J9274	Kimmtrak	to treat unresectable or metastatic eye melanomas.
30274	Killillak	Mitomycin pyelocalyceal, given by injection or drops. This drug is used to
J9281	Jelmyto	treat urothelial cancer.
J9286	Columvi	An infusion of glofitamab, a drug that is typically used to treat lymphoma.
70200	Octamin	An infusion of nivolumab and relatlimab, given over minutes/hours, typically
J9298	Opdualag	used to treat cancer.
	- F	An infusion of nivolumab given over minutes/hours, typically used to treat
J9299	Opdivo	cancer.
	- I	An infusion of pertuzumab given over minutes/hours typically used to treat
J9306	Perjeta	breast cancer.
	•	An infusion of polatuzumab vedotin-piiq given over minutes/hours, generally
J9309	Polivy	used to treat lymphomas.
	•	An injection of rituximab and hyaluronidase. These drugs are typically used to
J9311	RituxanHycela	treat a variety of conditions.
		An infusion of rituximab given over minutes/hours, used to treat autoimmune
J9312	Rituxan	disorders and cancer.
		An infusion of pertuzumab in combination with trastuzumab and
J9316	Phesgo	hyaluronidase-zzxf. This drug is typically used to treat breast cancer.
		An infusion of sacituzumab govitecan-hziy given over minutes/hours, typically
J9317	Trodelvy	used to treat certain types of cancer.
		An infusion of romidepsin given over minutes/hours typically used to treat T-
J9318	Romidepsin	cell lymphoma and similar cancers.
		An infusion of romidepsin given over minutes/hours typically used to treat T-
J9319	Istodax,romidepsin	cell lymphoma and similar cancers.
J9321	Epkinly	An injection of epcoritamab, used to treat large B-cell lymphoma.
		An infusion of sirolimus given over minutes/hours. This drug typically is given
J9331	Fyarro	to prevent the immune system from rejecting an organ transplant.

		An infusion of efgartigimod given over minutes/hours. This drug is used to
10000		treat generalized myasthenia gravis, a chronic autoimmune, neuromuscular
J9332	Vyvgart	disease.
		An injection of rozanolixizumab-noli, a drug that is used to treat a nerve and
J9333	RYSTIGGO	muscle problem called generalized myasthenia gravis.
		An injection of efgartigimod used to treat generalized myasthenia gravis, a
J9334	Vyvgart	chronic autoimmune, neuromuscular disease.
		An infusion of Retifanlimab given over minutes or hours. This drug is used to
J9345	Zynyz	treat Merkel cell carcinoma.
		An infusion given over minutes/hours or injection of tremelimumab. This drug
J9347	lmjudo	typically is used to treat liver or lung cancer.
		An infusion of naxitamab-gqgk given over minutes/hours used to treat brain
J9348	Danyelza	cancer.
		An infusion of tafasitamab-cxix given over minutes/hours used in
		combination with lenalidomide to treat adults with relapsed or refractory
J9349	Monjuvi	diffuse large B-cell lymphoma.
		An infusion given over minutes/hours or injection of mosunetuzumab. This
J9350	Lunsumio	drug is generally used to treat lymphoma.
		An infusion of margetuximab-cmkb given over minutes/hours typically used
J9353	Margenza	to treat metastatic HER2-positive breast cancer.
		An infusion of ado-trastuzumab emtansine given over minutes/hours,
J9354	Kadcyla	typically used to treat breast cancer.
		An infusion of trastuzumab given over minutes/hours used to treat certain
J9355	Herceptin	cancers.
		An injection of trastuzumab, a chemotherapy drug used primarily in the
J9356	HerceptinHylecta	treatment of certain types of cancer.
		An infusion of fam-trastuzumab deruxtecan-nxki given over minutes/hours,
J9358	Enhertu	used to treat certain types of cancer.
		An infusion of loncastuximab tesirine-lpy given over minutes/hours. This drug
J9359	Zynlonta	is typically used to treat large B-cell lymphoma.
J9361	Ryzneuta	Injection, efbemalenograstim alfa-vuxw, 0.5 mg
J9376	Veopoz	Injection, pozelimab-bbfg, 1 mg
		Injection of teclistamab-cgyv, typically used for relapsed or refractory
J9380	Tecvayli	multiple myeloma.
	,	An infusion given over minutes/hours or injection of teplizumab. This drug is
J9381	Tzield	used to delay the onset of symptomatic (stage 3) type 1 diabetes.
J9999	Amtagvi	lifileucel
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	······
		An infusion of axicabtagene ciloleucel. This drug is given through an IV and is
Q2041	Yescarta	used to treat patients with relapsed or refractory large B-cell lymphoma.
Q2042	Kymriah	tisagenlecleucel
QZUTZ	куппип	поиделиськой
		An infusion of sipuleucel-T. This drug is an immune therapy for treating
		prostate cancer that is mixed with a person's own blood cells. It is commonly
02042	Provenge	
Q2043	Provenge	referred to as a cancer vaccine because it spurs the immune system to act.
00050	Toportuo	Brexucabtagene autoleucel/CAR T-cell typically given IV for the treatment for
Q2053	Tecartus	mantle cell lymphoma (MCL).
00050	Ventovio	Brexucabtagene autoleucel/CAR T-cell typically given IV for the treatment for
Q2053	Ventavis	mantle cell lymphoma (MCL).

Q2054	Breyanzi	lisocabtagene maraleucel
		Modified and selected immune cells (white blood cells) used in the
Q2054	Zarxio	treatment of lymphoma.
Q2055	Abecma	idecabtagene vicleucel
Q2055	Inflectra	Injection of T-cells, given to treat multiple myeloma.
Q2056	Carvykti	ciltacabtagene autoleucel
		A dose of iloprost inhalation. This drug is used in the treatment of high blood
Q4074	Ventavis	pressure affecting the lung artery (pulmonary arterial hypertension).
		Material used in place of natural skin to cover and protect a wound and
		promote healing. There are many products available depending on the
Q4100	Mvasi	location and thickness required.
		Wound covering made of amniotic tissue, used to cover and protect wounds
Q4284	DermaBindSL	or injured tissue.
		An infusion given over minutes/hours or an injection of filgrastim-sndz (G-
		CSF), given to increase the production of white blood cells, improving
Q5101	Zarxio	immune function.
		An infusion of infliximab given over minutes/hours. This drug is typically used
		to treat autoimmune disorders including rheumatoid arthritis and
Q5103	Inflectra	inflammatory bowel disease.
		An infusion of infliximab given over minutes/hours. This drug is typically used
		to treat autoimmune disorders including rheumatoid arthritis and
Q5104	Renflexis	inflammatory bowel disease.
Q = T		An infusion given over minutes/hours or an injection of bevacizumab. This
Q5107	Mvasi	drug is generally used to treat various types of cancer.
		, , , , , , , , , , , , , , , , , , ,
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5108	Fulphila	during cancer treatments by stimulating the production of white blood cells.
		An infusion given over minutes/hours or an injection of infliximab-qbtx. This
Q5109	lxifi	drug is generally used to treat various types of cancer.
Ç		An infusion given over minutes/hours or an injection of filgrastim-aafi. This
Q5110	Nivestym	drug is generally used to treat various types of cancer.
4 00		and to demonstrate the state of
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5111	Udenyca	during cancer treatments by stimulating the production of white blood cells.
QUIII	Cucinyou	during carroor a cathrents by standarding the production of white blood collec-
		An infusion of trastuzumab-dttb given over minutes/hours. A chemotherapy
Q5112	Ontruzant	drug used primarily in the treatment of certain types of cancer.
QJIIZ	Ontruzant	urug useu primarity in the treatment of certain types of cancer.
		An infusion of trastuzumab-pkrb given over minutes/hours. A chemotherapy
O5112	Herzuma	drug used primarily in the treatment of certain types of cancer.
Q5113	Holzulla	aras asea primarity in the treatment of certain types of cancer.
		An inflicion of tractuzumah dikat siyan ayar minutas/hayya A ahamathayaya
OE114	Oglari	An infusion of trastuzumab-dkst given over minutes/hours. A chemotherapy
Q5114	Ogivri	drug used primarily in the treatment of certain types of cancer.
05445	Tuuring	An infusion of rituximab-abbs given over minutes/hours. A chemotherapy
Q5115	Truxima	drug used to treat rheumatoid arthritis and certain types of cancer.
		And the Control of American and the Control of the
05445		An infusion of trastuzumab-qyyp given over minutes/hours. A chemotherapy
Q5116	Trazimera	drug used primarily in the treatment of certain types of cancer.

		An infusion of trastuzumab-anns given over minutes/hours. A chemotherapy
Q5117	Kanjinti	drug used primarily in the treatment of certain types of cancer.
		An infusion given over minutes/hours or an injection of bevacizumab. This
Q5118	Zirabev	drug is generally used to treat various types of cancer.
		An injection of rituximab, a drug used to treat certain types of cancers,
Q5119	Ruxience	rheumatoid arthritis, certain granulomatosis and pemphigus vulgaris.
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5120	Ziextenzo	during cancer treatments by stimulating the production of white blood cells.
		An infusion given over minutes/hours or an injection of infliximab . This drug
		is typically used to treat autoimmune disorders including rheumatoid
Q5121	Avsola	arthritis and inflammatory bowel disease.
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5122	Nyvepria	during cancer treatments by stimulating the production of white blood cells.
		An infusion of rituximab-arrx given over minutes/hours. A chemotherapy drug
Q5123	Riabni	used to treat rheumatoid arthritis and certain types of cancer.
		An infusion given over minutes/hours or injection of filgrastim-ayow. This
		drug is given to increase the production of white blood cells, improving
Q5125	Releuko	immune function.
		An infusion given over minutes/hours or an injection of bevacizumab. This
Q5126	Alymsys	drug is generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5127	stimufend	during cancer treatments by stimulating the production of white blood cells.
		An infusion given over minutes/hours or an injection of bevacizumab. This
Q5129	vegzelma	drug is generally used to treat various types of cancer.
		An injection of pegfilgrastim. This drug is used to help prevent infections
Q5130	fylnetra	during cancer treatments by stimulating the production of white blood cells.
Q5133	Tofidence	Injection, tocilizumab-bavi (tofidence), biosimilar, 1 mg
Q5134	Tyruko	Injection, natalizumab-sztn (tyruko), biosimilar, 1 mg
Q5138	Wezlana	Injection, ustekinumab-auub (wezlana), biosimilar, intravenous, 1 mg
-		, , , , , , , , , , , , , , , , , , , ,