

CODE	DRUG TRADE NAME	CONSUMER DESCRIPTION
90378	Synagis	Respiratory syncytial virus (RSV) immune globulin. RSV is an infection that causes colds, coughs and sometimes pneumonia in children and infants.
C9163	Talvey	Injection, talquetamab-tgvs, 0.25 mg
C9164	Ycanth	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2mg)
C9165	Elrexio	Injection, elranatamab-bcmm, 1 mg
C9168	OmvoH	Injection, mirikizumab-mrkz, 1 mg
C9399	Amtagvi	lifileucel
C9399	Beqvez	fidanacogene elaparvovec-dzkt
C9399	Casgev	exagamglogene autotemcel
C9399	Elevidys	delandistrogene moxeparvovec-rokl
C9399	Empaveli	pegcetacoplan
C9399	Enspryng	satralizumab-mwge
C9399	Lamzed	velmanase alfa-tycv
C9399	Lantidra	donislecel-jujn
C9399	Lenmeldy	atidarsagene autotemcel
C9399	Lyfgenia	lovotibeglogene autotemcel
C9399	Lytgobi	futibatinib
C9399	Nulibry	fosdenopterin
C9399	Omisirge	omidubicel-only
C9399	Rethymic	allogeneic processed thymus tissue-agdc
C9399	Roctavian	valoctocogene roxaparvovec
C9399	Skysona	Elivaldogene autotemcel
C9399	Tegsed	inotersen
C9399	Zynteglo	betibeglogene autotemcel
J0129	Orencia	An infusion given over minutes/hours or injection of abatacept. This drug is a manufactured protein typically given for treatment of arthritis.
J0172	Aduhelm	An injection of aducanumab-awwa, a medication used to treat Alzheimer's disease.
J0174	Leqembi	An injection of lecanemab. This drug is generally used to treat Alzheimer's disease.
J0175	Kisunla	Injection, donanemab-azbt, 2 mg
J0177	Eylea	Injection, aflibercept hd, 1 mg
J0178	Eylea	An injection of aflibercept. This drug typically is used to treat macular degeneration.
J0179	Beovu	An injection of brolocizumab-dbl. This drug is used to treat macular degeneration, a deterioration of the central portion of the retina.
J0180	Fabrazyme	An infusion of agalsidase beta given over minutes/hours. This drug is most often used to treat an enzyme deficiency in Fabry disease.
J0202	Lemtrada	An infusion given over minutes/hours or injection of alemtuzumab. This drug is typically used to treat leukemia or multiple sclerosis.
J0217	Lamzed	An infusion given over minutes or hours of velmanase alfa-tycv, used to help the body break down complex sugars in some rare genetic conditions.

J0218	Xenpozyme	An infusion of olipudase alfa, given over minutes/hours, used to treat acid sphingomyelinase deficiency (ASMD).
J0219	Nexviazyme	An infusion of avalglucosidase given over minutes/hours, used to treat Pompe disease.
J0220	Alglucosidase alfa injection 10mg, NOS	An infusion of alglucosidase alfa given over minutes/hours. This drug is typically used to treat an enzyme deficiency in Pompe disease.
J0221	Lumizyme	An infusion of alglucosidase alfa given over minutes/hours. This drug is typically used to treat an enzyme deficiency in Pompe disease.
J0222	Onpattro	patisiran
J0223	Givlaari	givosiran
J0224	Oxlumo	lumasiran
J0225	Amvuttra	An injection of vutrisiran, used to treat the polyneuropathy caused by hereditary ATTR amyloidosis in adults.
J0256	Aralast, Prolastin, Zemaira	An infusion of alpha 1-proteinase inhibitor given over minutes/hours. This drug typically is given to treat lung problems related to an enzyme deficiency.
J0257	Glassia	An infusion of alpha 1-proteinase inhibitor given over minutes/hours. This drug typically is given to treat lung problems related to an enzyme deficiency.
J0490	Benlysta	An infusion given over minutes/hours or injection of belimumab. This drug typically is given for treatment of lupus.
J0491	Saphnelo	An infusion of anifrolumab-fnia given over minutes/hours, used to treat moderate to severe systemic lupus erythematosus (SLE).
J0517	Fasenra	An injection of benralizumab. This drug is typically used to treat asthma.
J0565	Zinplava	An infusion given over minutes/hours or an injection of bezlotoxumab. This drug is generally used to treat various types of cancer.
J0567	Brineura	An infusion of cerliponase alfa given over minutes/hours. This drug is typically used as an enzyme replacement treatment for Batten disease.
J0570	Probuphine Implant Kit	Buprenorphine, delivered through one-inch-long rods implanted under the skin on the upper arm. The drug is given for six months to treat an addiction to narcotics.
J0584	Crysvita	An injection of burosumab-twza. This drug is used to treat X-linked hypophosphatemia (XLH), a disease where the body doesn't retain enough phosphorus.
J0585	Botox	An injection of botulinum toxin type A. This drug is typically used to relax severe muscle spasms, reduce gland secretions, or for cosmetic enhancement.
J0586	Dysport	An injection of botulinum toxin type A. This drug is typically used to relax severe muscle spasms, reduce gland secretions, or for cosmetic enhancement.
J0587	Myobloc	An injection of botulinum toxin type B. This drug is typically used for an extremely severe spasm of the neck muscles.
J0588	Xeomin	An injection of botulinum toxin type A. This drug is typically used to relax severe muscle spasms, reduce gland secretions, or for cosmetic enhancement.

J0591	Kybella	An injection of deoxycholic acid. This drug is typically used to destroy fat cells where it is injected into the body.
J0593	Takhzyro	An injection of lanadelumab-flyo. This drug is generally used to prevent attacks of hereditary angioedema (HAE), which is caused by low level or improper function of a protein called the C1 inhibitor.
J0596	Ruconest	An injection of C1 esterase inhibitor. This drug typically is given for angioedema, a hereditary condition that causes the tissues to swell in a type of allergic reaction.
J0597	Berinert	An infusion of C1 esterase inhibitor given over minutes/hours. This drug typically is given for angioedema, a hereditary condition that causes the tissues to swell in a type of allergic reaction.
J0598	Cinryze	An infusion of C1 esterase inhibitor given over minutes/hours. This drug typically is given for angioedema, a hereditary condition that causes the tissues to swell in a type of allergic reaction.
J0599	Haegarda	An injection of C1 esterase inhibitor (human), used to prevent hereditary angioedema (HAE) attacks.
J0606	Parsabiv	An injection of etelcalcetide, which is generally used to treat secondary hyperparathyroidism in patients with chronic kidney disease or who are undergoing hemodialysis.
J0638	Ilaris	An injection of canakinumab. This drug is used to treat autoimmune inflammatory conditions.
J0691	Xenleta	An infusion of lefamulin given over minutes/hours. This drug is an antibiotic used to treat community-acquired bacterial pneumonia.
J0717	Cimzia	An injection of certolizumab pegol. This drug is typically used to treat autoimmune conditions, including inflammatory bowel disease and rheumatoid arthritis.
J0742	Recarbrio	An infusion of imipenem, cilastatin and relebactam given over minutes/hours. This drug combination is typically used to treat bacterial septicemia and a variety of infections.
J0775	Xiaflex	An injection of collagenase clostridium histolyticum. This drug is typically used to treat deformative connective tissue disorders.
J0791	Adakveo	An infusion of crizanlizumab-tmca given over minutes/hours. This drug is typically used to prevent vaso-occlusive crisis in patients with sickle cell anemia.
J0801	Acthar gel, corticotropin gel	An injection of corticotropin. This is a man-made form of a hormone that naturally is produced by the pituitary gland. It is used to treat a variety of disorders.
J0802	Cortrophin	An injection of corticotropin. This is a man-made form of a hormone that naturally is produced by the pituitary gland. It is used to treat a variety of disorders.
J0879	Korsuva	An injection of difelikefalin. This drug is typically used to treat itchy skin related to patient on hemodialysis.
J0881	Aranesp (albumin Free)	An injection of darbepoetin alfa. This drug is most often used to treat anemia, by stimulating the production of red blood cells.
J0882	Aranesp (albumin Free)	An injection of darbepoetin alfa. This drug is most often used to treat anemia, by stimulating the production of red blood cells.

J0885	Epogen, Procrit	An injection of epoetin alfa. This drug is most often used to treat anemia, by stimulating the production of red blood cells.
J0887	Mircera	An injection of epoetin beta. This drug is typically used to treat low blood counts associated with chronic kidney disease and some forms of cancer.
J0888	Mircera	An injection of epoetin beta. This drug is typically used to treat low blood counts associated with chronic kidney disease and some forms of cancer.
J0889	Jesduvrog	Daprodustat, given by mouth. This drug is used to treat anemia due to chronic kidney disease.
J0896	Reblozyl	An injection of luspatercept-aamt, a drug used to treat anemia in patients with beta thalassemia.
J1201	Quzyttir	An injection of cetirizine HCl. This antihistamine is used to treat hay fever and allergy symptoms, hives, and itching.
J1203	Pombility	Injection, cipaglucoasidase alfa-atga, 5 mg
J1290	Kalbitor	An injection of ecallantide. This drug is most often used to treat a condition called hereditary angioedema, where swelling occurs in the deep layers of the skin.
J1300	Soliris	An infusion of eculizumab given over minutes/hours. This drug is generally used to treat the destruction of red blood cells in certain blood disorders.
J1301	Radicava	An infusion of edaravone given over minutes/hours. This drug is given to help treat amyotrophic lateral sclerosis (ALS).
J1302	Enjamo	An infusion of sutimlimab-jome given over minutes/hours. This drug is used to treat patients with a rare autoimmune disease.
J1303	Ultomiris	An infusion of ravulizumab given over minutes/hours. This antibody is designed to treat paroxysmal nocturnal hemoglobinuria and atypical hemolytic uremic syndrome.
J1304	Qalsody	An injection of tofersen. This drug is typically used to treat Lou Gehrig's disease (ALS).
J1305	Evkeeza	An infusion of evinacumab-dgnb given over minutes/hours. This drug is used to treat homozygous familial hypercholesterolemia.
J1306	Leqvio	An injection of inclisiran. This drug is generally used to treat cardiovascular disease.
J1322	Vimizim	An infusion of elosulfase alfa given over minutes/hours. This drug is typically given as an enzyme replacement therapy to treat people who have Morquio A syndrome.
J1323	Elrefxio	Injection, elranatamab-bcmm, 1 mg
J1325	Flolan, Veletri, epoprostenol	An infusion of epoprostenol given over minutes/hours. This medication is most often used to lower the blood pressure in the arteries of the lungs.
J1411	Hemgenix	An infusion of etranacogene dezaparvovec-drlb (Hemgenix) given over minutes/hours. This is a gene therapy used to treat hemophilia B.
J1412	Roctavian	An infusion of valoctocogene roxaparvovec-rvox given over minutes or hours, used to treat hemophilia A.

J1413	Elevidys	An infusion of delandistrogene moxeparvovec-rokl given over minutes or hours. This gene therapy is used to treat children aged 4-5 who have Duchenne muscular dystrophy.
J1426	Amondys 45	An infusion of casimersen given over minutes/hours. This drug is used for the treatment of Duchenne muscular dystrophy.
J1427	Viltepso	Infusion of viltolarsen given over minutes/hours. This drug is generally used to treat Duchenne muscular dystrophy.
J1428	Exondys 51	Infusion of eteplirsen given over minutes/hours. This drug is used to treat Duchenne muscular dystrophy (DMD).
J1435	estrone	An injection of estrone. This drug is a hormone and is typically given for symptoms associated with menopause.
J1440	Rebyota	Healthy stool bacteria from a donor is prepared and may be transplanted. This procedure treats a variety of conditions including irritable bowel syndrome, constipation and colitis.
J1442	Neupogen	An infusion given over minutes/hours or injection of filgrastim (G-CSF). This drug is given to increase the production of white blood cells, improving immune function.
J1445	Triferic Avnu	An infusion of ferric pyrophosphate citrate given over minutes/hours. This form of iron supplement is generally used to treat iron-deficiency anemia (low blood levels due to inadequate iron in the body).
J1447	Granix	An injection of TBO-filgrastim (G-CSF). This drug is given to increase the production of white blood cells, improving immune function.
J1448	Cosela	An infusion of trilaciclib given over minutes/hours. This drug is used to preserve bone marrow and immune system function during chemotherapy.
J1449	Rolvedon	An injection of eflapegrastim-xnst (Rolvedon), given to decrease the chance of infection in patients receiving myelosuppressive anti-cancer drugs.
J1458	Naglazyme	An infusion of galsulfase given over minutes/hours. This drug is typically used to improve walking and stair-climbing ability in patients with an enzyme deficiency.
J1459	Privigen	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1460	Gamastan	An injection of immune globulin. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1551	Cutaquig	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1554	Asceniv	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1555	Cuvitru	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.

J1556	Bivigam	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1557	Gammaplex	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1558	Xembify	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1559	Hizentra	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1560	Gamastan	An injection of immune globulin. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1561	Gammaked, Gamunex-C	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1562	Vivaglobin	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1566	Gammagard S/d	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1568	Octagam	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1569	Gammagard	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1572	Flebogamma Dif	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1575	Hyqvia	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1576	Panzyga	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1595	Copaxone	An injection of glatiramer acetate. This drug is used to treat multiple sclerosis.
J1599	Panzyga	An infusion of immune globulin given over minutes/hours. Immune globulins are used to provide antibodies to patients with compromised immune systems.
J1602	Simponi Aria	An infusion given over minutes/hours or injection of golimumab. This drug is typically given to treat auto-immune disorders including rheumatoid arthritis.

J1632	Zulresso	An infusion of brexanolone given over minutes/hours. This drug is generally used to treat postpartum depression.
J1726	makena	An injection of hydroxyprogesterone. This drug is given for several reasons, including the treatment of advanced cancer of the uterus, and helping women who have missed periods or abnormal periods.
J1729	Hydroxyprogesterone Caproate	An injection of hydroxyprogesterone. This drug is given for several reasons, including the treatment of advanced cancer of the uterus, and helping women who have missed periods or abnormal periods.
J1738	Anjeso	An injection of meloxicam. This drug is typically used to treat moderate to severe pain.
J1740	Boniva	An infusion given over minutes/hours or injection of ibandronate. This drug is used to treat loss of bone density in women who are postmenopausal.
J1743	Elaprase	An infusion of idursulfase give over minutes/hours. This drug is typically used to improve walking and stair-climbing ability in patients who lack a certain enzyme.
J1745	Infliximab, Remicade	An infusion of infliximab given over minutes/hours. This drug is typically used to treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel disease.
J1747	Spevigo	An infusion of spesolimab-sbzo given over minutes/hours. This drug is used to treat generalized pustular psoriasis (GPP), a long-term skin disease.
J1748	Zymfentra	Injection, infliximab-dyyb (zymfentra), 10 mg
J1786	Cerezyme	An infusion of imiglucerase given over minutes/hours. This drug is used to treat Gaucher's disease.
J1823	Uplizna	An infusion of inebilizumab-cdon given over minutes/hours. This drug is used to treat neuromyelitis optic spectrum disorder (NMOSD) in patients who are anti-aquaporin-4 (AQP4) antibody positive.
J1826	Avonex	An injection of interferon beta-1a. This drug is used to treat multiple sclerosis (MS).
J1830	Betaseron, Extavia	An injection of interferon beta-1b. This drug is used to treat multiple sclerosis (MS).
J1930	Somatuline Depot	An injection of lanreotide. This drug is used in the treatment of acromegaly, an over-production of growth hormone.
J1931	Aldurazyme	An infusion of laronidase given over minutes/hours. This drug is used to treat a certain type of enzyme deficiency.
J1950	leuprolide	An injection of leuprolide acetate. At this dose, this hormone drug is typically given to women for endometriosis.
J1954	Lutrate	An injection of leuprolide acetate. This drug is used to treat prostate cancer, endometriosis, fibroids and precocious puberty.
J2182	Nucala	An injection of mepolizumab. This drug is usually given for asthma.
J2267	OmvoH	Injection, mirikizumab-mrkz, 1 mg
J2277	Aphexda	Injection, motixafortide, 0.25 mg
J2323	Tysabri	An infusion of natalizumab given over minutes/hours. This drug is used to treat Crohn's disease or multiple sclerosis.
J2326	Spinraza	An injection of nusinersen. This drug is typically given to treat spinal muscular atrophy.

J2327	Skyrizi	An infusion given over minutes/hours or an injection of risankizumab, used to treat plaque psoriasis, psoriatic arthritis and Crohn's disease.
J2329	Briumvi	An infusion of ublituximab given over minutes/hours. This drug is used to treat multiple sclerosis.
J2350	Ocrevus	An infusion of ocrelizumab given over minutes/hours. This drug is used to treat multiple sclerosis.
J2353	Sandostatin Lar Depot	An injection of octreotide. This drug is used to treat diarrhea associated with certain tumors, and acromegaly.
J2354	Sandostatin, octreotide	An infusion given over minutes/hours or an injection of octreotide, used to treat diarrhea associated with certain tumors and acromegaly.
J2356	Tezspire	An injection of tezepelumab-ekko, a human antibody used to treat asthma.
J2357	Xolair	An injection of omalizumab. This drug is used to treat asthma that does not respond to inhaled steroids.
J2427	Invega Hafyera, Invega Trinza	An injection of the extended release form of paliperidone. This drug is typically given for schizophrenia.
J2502	Signifor Lar	An injection of pasireotide. This drug is typically used to decrease the amount of growth hormone made in the body.
J2503	Macugen	An injection of pegaptanib. This drug is used primarily for macular degeneration caused by excessive blood vessel growth in the eye.
J2506	Neulasta	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
J2507	Krystexxa	An infusion of pegloticase given over minutes/hours. This drug is typically used to treat difficult cases of chronic gout.
J2508	ELFABRIO	An infusion of pegunigalsidase alfa-iwxj, a drug that is typically used to treat Fabry disease.
J2562	Mozobil	An injection of plerixafor. This drug is used most often as part of a stem cell transplant plan.
J2777	Vabysmo	An injection of faricimab-svoa into the eye(s). This drug is used to treat macular edema and/or macular degeneration.
J2778	Lucentis	An injection of ranibizumab. This drug is used to treat macular degeneration caused by excessive blood vessel growth in the eye.
J2779	Susvimo	Placement of an eye implant that releases ranibizumab. This drug is used to treat macular degeneration caused by excessive blood vessel growth in the eye.
J2781	Syfovre	An injection of pegcetacoplan to treat eye disease.
J2782	Izervay	Injection, avacincapted pegol, 0.1 mg
J2783	Elitek	An infusion of rasburicase given over minutes/hours, used to treat high blood levels of uric acid caused by tumor lysis in cancer.
J2786	Cinqair	An infusion of reslizumab given over minutes/hours, used to treat severe asthma.
J2793	Arcalyst	An injection of riloncept. This drug is typically used in the treatment of inherited auto-inflammatory diseases.
J2796	Nplate	An injection of romiplostim. This drug stimulates the bone marrow to produce platelets.

J2820	Leukine	An infusion given over minutes/hours or an injection of sargramostim (GM-CSF), used to stimulate the production of white blood cells after chemotherapy.
J2840	Kanuma	An infusion of sebelipase alpha given over minutes/hours, typically used to treat hepatic and lipid abnormalities.
J3032	Vyepti	An infusion of eptinezumab-jjmr given over minutes/hours, typically used to prevent migraine headaches.
J3055	Talvey	Injection, talquetamab-tgvs, 0.25 mg
J3060	Elelyso	An infusion of taliglucerase alfa given over minutes/hours, typically used to treat Gaucher's disease, a rare genetic disorder.
J3111	Evenity	An injection of romosozumab. This drug is generally used to treat osteoporosis.
J3241	Tepezza	An infusion of teprotumumab-trbw given over minutes/hours, typically used to treat thyroid eye disease.
J3245	Ilumya	An injection of tildrakizumab. This drug is used to treat severe plaque psoriasis (scaly, itchy dry patches on skin).
J3247	Cosentyx	Injection, secukinumab, intravenous, 1 mg
J3262	Actemra	An infusion given over minutes/hours or an injection of tocilizumab, typically used to treat a variety of autoimmune disorders.
J3263	Loqtorzi	Injection, toripalimab-tpzi, 1 mg
J3285	Remodulin, treprostinil	An infusion of treprostinil given over minutes/hours, used to treat high blood pressure in the blood vessels of the lungs.
J3315	Trelstar Mixject	An injection of triptorelin, generally given to treat prostate cancer.
J3316	Triptodur	An injection of triptorelin, generally given to treat prostate cancer.
J3358	Stelara	An injection of ustekinumab. This drug is used to treat autoimmune conditions including plaque psoriasis and psoriatic arthritis.
J3380	Entyvio	An infusion of vedolizumab given over minutes/hours, generally used to treat ulcerative colitis and Crohn's disease.
J3385	Vpriv	An infusion of velaglucerase alfa given over minutes/hours, typically used to treat Gaucher's disease, a genetic enzyme deficiency.
J3393	Zynteglo	betibeglogene autotemcel
J3394	Lyfgenia	lovotibeglogene autotemcel
J3397	Mepsevii	An infusion of vestronidase alfa-vjbg given over minutes/hours, typically used to treat Sly syndrome.
J3398	Luxturna	An injection of voretigene neparvovec-rzyl. This gene therapy is used to treat congenital blindness.
J3399	Zolgensma	An infusion of onasemnogene abeparvovec-xioi given over minutes/hours, a gene therapy medication used to treat spinal muscular atrophy.
J3401	VYJUVEK	Beremagene geperpavec-svdt, a gene therapy solution applied to the skin to treat dystrophic epidermolysis bullosa, which causes blistering in the middle layer of skin.
J3490	Casgev	exagamglogene autotemcel
J3490	Elevidys	delandistrogene moxeparvovec-rokl
J3490	Izervay	avacincaptad pegol
J3490	Lyfgenia	lovotibeglogene autotemcel
J3490	Nulibry	fosdenopterin

J3490	Omisirge	Omidubicel
J3490	Prevymis	letermovir (injectable)
J3520	Edetate disodium	An injection of edetate disodium (EDTA). This drug typically is used to treat poisoning by lead or other heavy metals.
J3590	Beqvez	fidanacogene elaparovec-dzkt
J3590	Casgevy	exagamglogene autotemcel
J3590	Elevidys	delandistrogene moxeparovec-rokl
J3590	ELFABRIO	pegunigalsidase alfa-iwxj
J3590	Lamzede	velmanase alfa-tycv
J3590	Lantidra	donislecel-jujn
J3590	Lenmeldy	atidarsagene autotemcel
J3590	Lyfgenia	lovotibeglogene autotemcel
J3590	Omisirge	omidubicel-only
J3590	Rethymic	allogeneic processed thymus tissue-agdc
J3590	Roctavian	valoctocogene roxaparovec
J3590	Rystiggi	rozanolixizumab-noli
J3590	Skysona	Elivaldogene autotemcel
J3590	VYJUVEK	beremagene geperpavec-svdt (topical)
J3590	Vyvgart Hytrulo	efgartigimod alfa and hyaluronidase-qvfc
J3590	Zynteglo	betibeglogene autotemcel
J7169	Andexxa	An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.
J7170	Hemlibra	An infusion given over minutes/hours or injection of coagulation factor Xa, used to reverse anticoagulation.
J7171	Adzynma	Injection, adams13, recombinant-krhn, 10 iu
J7175	Coagadex	An infusion of Factor X given over minutes/hours, used as a blood clotting protein.
J7177	Fibryga	An infusion of fibrinogen given over minutes/hours, used as a blood protein for blood clotting.
J7178	Riastap	An infusion of fibrinogen given over minutes/hours, used as a blood protein for blood clotting.
J7179	Vonvendi	An infusion of von Willebrand factor (recombinant) given over minutes/hours used for treatment of hemophilia and other blood clotting problems.
J7180	Corifact	An infusion of Factor XIII Concentrate (human) given over minutes/hours used to promote blood clotting in patients lacking the protein naturally.
J7181	Tretten	An infusion of Factor XIII A-subunit (recombinant) given over minutes/hours used to promote clotting in patients lacking the protein naturally.
J7182	Novoeight	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.
J7183	Wilate	An infusion of von Willebrand factor complex (human) given over minutes/hours used for hemophilia and other blood clotting problems.
J7185	Xyntha, Xyntha Solofuse	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.

J7186	Alphanate	An infusion of antihemophilic Factor VIII/von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems.
J7187	Humate-p	An infusion of von Willebrand factor complex given over minutes/hours, used for treatment of hemophilia and other blood clotting problems.
J7188	Obizur	An infusion of Factor VIII (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7189	Novoseven Rt	An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to treat bleeding conditions, including hemophilia .
J7190	Hemofil M, Koate, Monoclate	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.
J7192	Advate, Helixate, Kogenate, Recombinate	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.
J7193	Alphanine Sd, Mononine	An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia.
J7194	Profilnine	An injection of Factor IX for blood clotting. Factor IX formulations are used to treat bleeding conditions, including hemophilia .
J7195	Benefix, Ixinity	An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7197	Thrombate lii	An injection of antithrombin. This drug is typically given to treat blood clotting problems in patients lacking a normal protein.
J7198	Feiba, Feiba Nf	An injection of anti-inhibitor complex. This drug typically is given to promote normal blood clotting.
J7199	Hemophilia clot factor,not otherwise classifi	An injection of hemophilia clotting factor. This drug typically is given to promote normal blood clotting.
J7200	Rixubis	An infusion of Factor IX (antihemophilic factor, recombinant) given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7201	Alprolix	An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7202	Idelvion	An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7203	Rebinyn	An infusion of Factor IX given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7204	Esperoct	An injection of Factor VIII. Factor VIII formulations are used to treat bleeding conditions, including hemophilia.
J7205	Eloctate	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7207	Adynovate	An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.
J7208	Jivi	An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.
J7209	Nuwiq	An infusion given over minutes/hours or an injection of Factor VIII, used to treat bleeding conditions, includings hemophilia.

J7210	Afstyla	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7211	Kovaltry	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7212	Sevenfact	An injection of Factor VIIa for blood clotting. Factor VIIa formulations are used to treat bleeding conditions, including hemophilia .
J7213	Ixinity	An infusion given over minutes/hours or injection of coagulation factor IX, which helps the blood to form clots to stop bleeding and is used to treat hemophilia B.
J7214	Altuviiio	An infusion of Factor VIII given over minutes/hours, used to treat bleeding conditions, including hemophilia.
J7318	Durolane	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7320	Genvisc 850	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7321	Hyalgan, Supartz Fx, Visco-3	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7322	Hymovis	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7323	Euflexxa	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7324	Orthovisc	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7325	Synvisc, Synvisc One	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7326	Gel-one	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7327	Monovisc	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7328	Gelsyn-3	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7329	Trivisc	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7330	MACI	Cartilage implant, generally done to repair defective cartilage in the knee.
J7331	Sodium Hyaluronate, Synjoynt	An injection of hyaluronan, generally given to treat severe arthritic pain.

J7332	Triluron	An injection of sodium hyaluronate. This medication typically is used to lubricate a joint, to treat arthritis pain that does not respond to more typical treatments.
J7340	Duopa	Carbidopa, delivered by a pump through a tube into the intestine. This drug is typically given to people with Parkinson's disease.
J7351	Durysta	An injection of bimatoprost. This medication is typically used to reduce pressure inside the eye.
J7352	Scenesse	Afamelanotide in a controlled-release implant. This drug is used to increase pain free light exposure in patients with a history of phototoxic reactions from erythropoietic protoporphyria.
J7354	Ycanth	Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg)
J7355	iDose TR	Injection, travoprost, intracameral implant, 1 microgram
J7402	Sinuva	An implant of mometasone furoate. This drug is a steroid typically given to treat recurrent nasal polyps.
J7686	Tyvaso (Refill, Starter)	An inhaled dose of treprostinil. This drug typically is given to improve exercise ability in patients with high blood pressure in the blood vessels of the lungs .
J8999	Lytgobi	futibatiniib
J9021	Rylaze	An infusion given over minutes/hours or an injection of asparaginase, used for the treatment of leukemia.
J9022	Tecentriq	An infusion of atezolizumab given over minutes/hours used to treat a variety of cancers.
J9023	Bavencio	An infusion of avelumab given over minutes/hours used to treat variety of cancers.
J9025	Vidaza	An infusion given over minutes/hours or an injection of azacitidine used to treat myelodysplastic syndrome.
J9029	Adstiladrin	An injection of nadofaragene firadenovec-vncg. This is a gene therapy, used to treat bladder cancer.
J9035	Avastin	An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.
J9037	Blenrep	An infusion given over minutes/hours or an injection of bevacizumab-awwb. This drug is generally used to treat various types of cancer.
J9039	Blincyto	An infusion given over minutes/hours or an injection of bevacizumab-bvcr. This drug is generally used to treat various types of cancer.
J9042	Adcetris	An infusion of brentuximab given over minutes/hours, used to treat lymphoma.
J9043	Jevtana	An infusion of cabazitaxel given over minutes/hours used to treat prostate cancer.
J9056	Vivimusta	An infusion of bendamustine given over minutes/hours used to treat types of leukemia and lymphoma.
J9057	Aliqopa	An infusion of copanlisib given over minutes/hours used to treat relapsed follicular lymphoma.
J9058	Bendamustine	An infusion of bendamustine given over minutes/hours used to treat types of leukemia and lymphoma.
J9059	Bendamustine	An infusion of bendamustine given over minutes/hours used to treat types of leukemia and lymphoma.

J9063	Elahere	An infusion of mirvetuximab soravtansine-gynx given over minutes/hours. This drug is used to treat peritoneal and ovarian cancer or cancer in the fallopian tubes.
J9065	Cladribine	An infusion given over minutes/hours or an injection of cladribine used to treat leukemia.
J9119	Libtayo	An infusion of cemiplimab given over minutes/hours used to treat various cancers including squamous cell skin cancer, myeloma, and lung cancer.
J9153	Vyxeos	An infusion of daunorubicin and cytarabine liposomal given over minutes/hours used to treat acute myeloid leukemia.
J9173	Imfinzi	An infusion of durvalumab given over minutes/hours used to certain types of cancer like NSCLC and SCLC.
J9176	Empliciti	An infusion of elotuzumab given over minutes/hours used to treat multiple myeloma.
J9177	Padcev	An infusion of enfortumab vedotin-ejfv given over minutes/hours used to treat advanced for metastatic urothelial cancer.
J9198	Infugem	An infusion of gemcitabine, given over minutes/hours, typically used to treat breast, ovarian, lung and pancreatic cancer.
J9202	Zoladex	An implant of goserelin. This drug is typically given to treat endometriosis, and for breast and prostate cancer.
J9203	Mylotarg	An infusion of gemtuzumab ozogamicin given over minutes/hours, a chemotherapy drug used to treat leukemia.
J9204	Poteligeo	An infusion of mogamulizumab given over minutes/hours used to treat cancer in the blood.
J9210	Gamifant	An infusion of emapalumab-lzg given over minutes/hours, used for the treatment of hemophagocytic lymphohistiocytosis.
J9223	Zepzelca	An infusion of lurbinectedin given over minutes/hours, typically used to treat metastatic small cell metastatic lung cancer.
J9225	Vantas	An implanted dose of histrelin, a drug used in the treatment of prostate cancer.
J9226	Supprelin La	An implanted dose of histrelin, a drug used in the treatment of central precocious puberty.
J9227	Sarclisa	An infusion of isatuximab-irfc given over minutes/hours, typically used to treat multiple myeloma.
J9228	Yervoy	An infusion of ipilimumab given over minutes/hours used to treat certain types of cancers.
J9229	Besponsa	An infusion of inotuzumab ozogamicin given over minutes/hours typically used to treat leukemia.
J9246	Evomela	An infusion of melphalan given over minutes/hours. This drug is used to treat multiple myeloma.
J9247	Pepaxto	An infusion of melphalan given over minutes/hours. This drug is used to treat multiple myeloma.
J9248	Hepzato	Injection, melphalan (hepzato), 1 mg
J9249	Apotex	Injection, melphalan (apotex), 1 mg
J9262	Synribo	An injection of omacetaxine mepesuccinate. This drug is typically used to treat certain types of blood cancers.

J9266	Oncaspar	An infusion given over minutes/hours or an injection of pegaspargase, a chemotherapy drug used to treat leukemia.
J9269	Elzonris	An infusion of tagraxofusp-erzs given over minutes/hours, typically used to treat blastic plasmacytoid dendritic cell neoplasm.
J9271	Keytruda	An infusion of pembrolizumab given over minutes/hours used to treat certain types of cancer.
J9272	Jemperli	An injection of dostarlimab-gxly. This drug is typically used to treat endometrial cancer.
J9273	Tivdak	An infusion of tisotumab vedotin-tftv given over minutes/hours. This drug is used to treat cervical cancer.
J9274	Kimmtrak	An infusion of tebentafusp-tebn given over minutes/hours. This drug is used to treat unresectable or metastatic eye melanomas.
J9281	Jelmyto	Mitomycin pyelocalyceal, given by injection or drops. This drug is used to treat urothelial cancer.
J9286	Columvi	An infusion of glofitamab, a drug that is typically used to treat lymphoma.
J9298	Opdualag	An infusion of nivolumab and relatlimab, given over minutes/hours, typically used to treat cancer.
J9299	Opdivo	An infusion of nivolumab given over minutes/hours, typically used to treat cancer.
J9304	Pemfexy	An infusion of pemetrexed given over minutes/hours, typically used to treat certain types of lung cancer.
J9306	Perjeta	An infusion of pertuzumab given over minutes/hours typically used to treat breast cancer.
J9309	Polivy	An infusion of polatuzumab vedotin-piiq given over minutes/hours, generally used to treat lymphomas.
J9311	Rituxan Hycela	An injection of rituximab and hyaluronidase. These drugs are typically used to treat a variety of conditions.
J9312	Rituxan	An infusion of rituximab given over minutes/hours, used to treat autoimmune disorders and cancer.
J9316	Phesgo	An infusion of pertuzumab in combination with trastuzumab and hyaluronidase-zzxf. This drug is typically used to treat breast cancer.
J9317	Trodelyv	An infusion of sacituzumab govitecan-hziy given over minutes/hours, typically used to treat certain types of cancer.
J9318	Romidepsin	An infusion of romidepsin given over minutes/hours typically used to treat T-cell lymphoma and similar cancers.
J9319	Istodax	An infusion of romidepsin given over minutes/hours typically used to treat T-cell lymphoma and similar cancers.
J9321	Epkinly	An injection of epcoritamab, used to treat large B-cell lymphoma.
J9325	Imlygic	An injection of talimogene laherparepvec. This is a viral therapy used to treat skin cancer.
J9331	Fyarro	An infusion of sirolimus given over minutes/hours. This drug typically is given to prevent the immune system from rejecting an organ transplant.
J9332	Vyvgart	An infusion of efgartigimod given over minutes/hours. This drug is used to treat generalized myasthenia gravis, a chronic autoimmune, neuromuscular disease.

J9333	RYSTIGGO	An injection of rozanolixizumab-noli, a drug that is used to treat a nerve and muscle problem called generalized myasthenia gravis.
J9334	Vyvgart	An injection of efgartigimod used to treat generalized myasthenia gravis, a chronic autoimmune, neuromuscular disease.
J9345	Zynyz	An infusion of Retifanlimab given over minutes or hours. This drug is used to treat Merkel cell carcinoma.
J9347	Imjudo	An infusion given over minutes/hours or injection of tremelimumab. This drug typically is used to treat liver or lung cancer.
J9348	Danyelza	An infusion of naxitamab-gqgk given over minutes/hours used to treat brain cancer.
J9349	Monjuvi	An infusion of tafasitamab-cxix given over minutes/hours used in combination with lenalidomide to treat adults with relapsed or refractory diffuse large B-cell lymphoma.
J9350	Lunsumio	An infusion given over minutes/hours or injection of mosunetuzumab. This drug is generally used to treat lymphoma.
J9353	Margenza	An infusion of margetuximab-cmkb given over minutes/hours typically used to treat metastatic HER2-positive breast cancer.
J9354	Kadcyla	An infusion of ado-trastuzumab emtansine given over minutes/hours, typically used to treat breast cancer.
J9355	Herceptin	An infusion of trastuzumab given over minutes/hours used to treat certain cancers.
J9356	Herceptin Hylecta	An injection of trastuzumab, a chemotherapy drug used primarily in the treatment of certain types of cancer.
J9358	Enhertu	An infusion of fam-trastuzumab deruxtecan-nxki given over minutes/hours, used to treat certain types of cancer.
J9359	Zynlonta	An infusion of loncastuximab tesirine-lpy given over minutes/hours. This drug is typically used to treat large B-cell lymphoma.
J9361	Ryzneuta	Injection, efbemalenograstim alfa-vuxw, 0.5 mg
J9376	Veopoz	Injection, pozelimab-bbfg, 1 mg
J9380	Tecvayli	Injection of teclistamab-cqyv, typically used for relapsed or refractory multiple myeloma.
J9381	Tzield	An infusion given over minutes/hours or injection of teplizumab. This drug is used to delay the onset of symptomatic (stage 3) type 1 diabetes.
J9400	Zaltrap	An infusion of ziv-aflibercept given over minutes/hours, typically used to treat colorectal cancer.
J9999	Amtagvi	lifileucel
Q0139	Feraheme	An infusion of ferumoxytol given over minutes/hours, used in the treatment of iron deficiency anemia (not enough red blood cells).
Q2041	Yescarta	An infusion of axicabtagene ciloleucel. This drug is given through an IV and is used to treat patients with relapsed or refractory large B-cell lymphoma.
Q2042	Kymriah	tisagenlecleucel
Q2043	Provenge	An infusion of sipuleucel-T. This drug is an immune therapy for treating prostate cancer that is mixed with a person's own blood cells. It is commonly referred to as a cancer vaccine because it spurs the immune system to act.

Q2053	Tecartus	Brexucabtagene autoleucl/CAR T-cell typically given IV for the treatment for mantle cell lymphoma (MCL).
Q2053	Ventavis	Brexucabtagene autoleucl/CAR T-cell typically given IV for the treatment for mantle cell lymphoma (MCL).
Q2054	Breyanzi	lisocabtagene maraleucl
Q2054	Zarxio	Modified and selected immune cells (white blood cells) used in the treatment of lymphoma.
Q2055	Abecma	idecabtagene vicleucl
Q2055	Inflectra	Injection of T-cells, given to treat multiple myeloma.
Q2056	Carvykti	ciltacabtagene autoleucl
Q3027	Avonex	An injection of interferon beta-1a. This drug is typically used to treat multiple sclerosis (MS).
Q4074	Ventavis	A dose of iloprost inhalation. This drug is used in the treatment of high blood pressure affecting the lung artery (pulmonary arterial hypertension).
Q4081	Epogen, Procrit	An injection of epoetin alfa. This drug is most often used to treat anemia, by stimulating the production of red blood cells.
Q4100	Mvasi	Material used in place of natural skin to cover and protect a wound and promote healing. There are many products available depending on the location and thickness required.
Q4284	DermaBind SL	Wound covering made of amniotic tissue, used to cover and protect wounds or injured tissue.
Q5101	Zarxio	An infusion given over minutes/hours or an injection of filgrastim-sndz (G-CSF), given to increase the production of white blood cells, improving immune function.
Q5103	Inflectra	An infusion of infliximab given over minutes/hours. This drug is typically used to treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel disease.
Q5104	Renflexis	An infusion of infliximab given over minutes/hours. This drug is typically used to treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel disease.
Q5106	Retacrit	An injection of epoetin alfa. This drug is most often used to treat anemia, by stimulating the production of red blood cells.
Q5107	Mvasi	An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.
Q5108	Fulphila	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
Q5109	Ixifi	An infusion given over minutes/hours or an injection of infliximab-qbtx. This drug is generally used to treat various types of cancer.
Q5110	Nivestym	An infusion given over minutes/hours or an injection of filgrastim-aafi. This drug is generally used to treat various types of cancer.
Q5111	Udenyca	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.

Q5112	Ontruzant	An infusion of trastuzumab-dttb given over minutes/hours. A chemotherapy drug used primarily in the treatment of certain types of cancer.
Q5113	Herzuma	An infusion of trastuzumab-pkrb given over minutes/hours. A chemotherapy drug used primarily in the treatment of certain types of cancer.
Q5114	Ogivri	An infusion of trastuzumab-dkst given over minutes/hours. A chemotherapy drug used primarily in the treatment of certain types of cancer.
Q5115	Truxima	An infusion of rituximab-abbs given over minutes/hours. A chemotherapy drug used to treat rheumatoid arthritis and certain types of cancer.
Q5116	Trazimera	An infusion of trastuzumab-qyyp given over minutes/hours. A chemotherapy drug used primarily in the treatment of certain types of cancer.
Q5117	Kanjinti	An infusion of trastuzumab-anns given over minutes/hours. A chemotherapy drug used primarily in the treatment of certain types of cancer.
Q5118	Zirabev	An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.
Q5119	Ruxience	An injection of rituximab, a drug used to treat certain types of cancers, rheumatoid arthritis, certain granulomatosis and pemphigus vulgaris.
Q5120	Ziextenzo	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
Q5121	Avsola	An infusion given over minutes/hours or an injection of infliximab . This drug is typically used to treat autoimmune disorders including rheumatoid arthritis and inflammatory bowel disease.
Q5122	Nyvepria	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
Q5123	Riabni	An infusion of rituximab-arrx given over minutes/hours. A chemotherapy drug used to treat rheumatoid arthritis and certain types of cancer.
Q5124	Byooviz	An injection of ranibizumab. This drug is used to treat macular degeneration caused by excessive blood vessel growth in the eye.
Q5125	Releuko	An infusion given over minutes/hours or injection of filgrastim-ayow. This drug is given to increase the production of white blood cells, improving immune function.
Q5126	Alymsys	An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.
Q5127	stimufend	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
Q5128	cimerli	An injection of ranibizumab. This drug is used to treat macular degeneration caused by excessive blood vessel growth in the eye.

Q5129	vegzelma	An infusion given over minutes/hours or an injection of bevacizumab. This drug is generally used to treat various types of cancer.
Q5130	fylnetra	An injection of pegfilgrastim. This drug is used to help prevent infections during cancer treatments by stimulating the production of white blood cells.
Q5133	Tofidence	Injection, tocilizumab-bavi (tofidence), biosimilar, 1 mg
Q5134	Tyruko	Injection, natalizumab-sztn (tyruko), biosimilar, 1 mg
Q5138	Wezlana	Injection, ustekinumab-auub (wezlana), biosimilar, intravenous, 1 mg
Q9991	Sublocade	An injection given over minutes/hours of buprenorphine. This drug typically is used to treat severe pain.
Q9992	Sublocade	An injection given over minutes/hours of buprenorphine. This drug typically is used to treat severe pain.